

Commercial
kitchen
Faucets &
Plumbing



FAUCETS FOR COMMERCIAL KITCHEN





ART & PERFORMANCE BLENDED TOGETHER



4 Year Limited Warranty



Quality You
Can Trust



Global
Shipping



**Certified
Lead Free Brass**

Certified Lead Free Brass
We Are Using Lead Free Brass
In Our Faucets




Scan to know about
WARRANTY

*4 Years Warranty on all Heavy Duty Pre Rinse Faucets
and Commercial Kitchen Accessories.

Our Customer's health and safety is our first priority.




Safe Drinking Water Act prohibiting the use of lead in plumbing components. Most of the products of Aluids are made with Lead free Brass. Lead free Brass replaces the Lead with Silicon, Bismuth or Mixed Copper Alloys, Which help address those issues. It is safe for Food, Drink or Any other Form of Bodily Intake.



Material: **Lead-Free Brass**

Brass is an alloy primarily made of copper (Cu) and zinc (Zn). In addition to copper and zinc, brass can also contain small amounts of other elements, such as:

LEAD (PB)	TIN (SN)	IRON (FE)	NICKEL (NI)	MANGANESE (MN)
✗	✓	✓	✓	✓



WHAT'S NEW

FRONT OF THE
HOUSE FAUCETS

Pg-58

WORKBOARD &
BAR SINK FAUCETS



DOSA TAWA
PLATE CLEANER

Pg-133

HAND WASH SINK WITH
THERMOSTATIC CONTROL

AUTOMATIC

Cold	●
Hot	●



Pg-122



Commercial
Hose Reel System
Pg-**151**

Pre Rinse
Unit



Pg-**14**



Commercial
Hand Wash
Sink

Pg-**117**



Pg-**155**
Waste Drain Valve

COMMERCIAL FAUCETS SERIES

Platinum SERIES



Pg- 11



lead-free



Ecoline Classic Series

Ecoline Series



Pg- 60



lead-free



Essential Series



Pg- 82



lead-free



Platinum

S E R I E S




— 4 YEARS —
LIMITED WARRANTY

WALL MOUNT	SINGLE LEVER DECK MOUNT	DECK MOUNT	DOUBLE LEVER DECK MOUNT
 Available in CENTRE BODY: 4" / 6" / 8"		 Available in CENTRE BODY: 4" / 6" / 8"	
			


PRE - RINSE UNIT

Deck Mount




PRE - RINSE UNIT

Wall Mount




PRE - RINSE UNIT



SPACE SAVER

STANDARD HEIGHT



VARIOUS SPOUTS LENGTH AND STYLES



SWIVEL SWING NOZZLE




SWIVEL GOOSENECK

PRE - RINSE UNIT

Wall Mount

Part #	Part Name	
C8141	Pre-Rinse Unit: 1.15 GPM, 8" Center Wall Mount with Knife Jet Valve	 1.15 GPM C8042
C8198	Pre-Rinse Unit: 1.42 GPM, 8" Center Wall Mount	 1.42 GPM C8149
C9551-1.15	Pre-Rinse Unit: 1.15 GPM, 8" Center Wall Mount	 1.15 GPM C9526




Required to Install



Wall Mount

Part #	Part Name	
C8466	8" Center Wall Mount Pre-Rinse with Wall Bracket and Add on Faucet with 12" Spout - 1.15 Knife Jet Valve	1.15 GPM  C8042
C8466-1.15	8" Center Wall Mount Pre-Rinse with Wall Bracket and Add on Faucet with 12" Spout - 1.15 GPM Spray Valve	1.15 GPM  C9526
C8467	8" Center Wall Mount Space Saver Pre-Rinse -1.15 GPM and Add on Faucet with 8" Spout	1.15 GPM  C8042
C8467-1.15	8" Center Wall Mount Space Saver Pre-Rinse -1.15 GPM and Add on Faucet with 8" Spout	1.15 GPM  C9526



Required to Install





@ 60 PSI

Gallons Per Minute



Low-Flow GPM	Typically 0.5 - 1.5 GPM 1.15 GPM 1.42 GPM
Standard GPM	1.8 - 2.5 GPM
High-Flow GPM	3.0+ GPM 4.50 GPM


SAVE HOT WATER , SAVE ENERGY
INCREASE EFFICIENCY
REDUCE OPERATIONAL COST

PRE - RINSE UNIT


Deck Mount

Part #	Part Name	
C8200	Pre-Rinse Unit: 1.42 GPM, 8" Center Deck Mount	
C8199	Pre-Rinse Unit: 1.15 GPM , 8" Center Deck Mount with Knife Jet Valve	
C8200-1.15	Pre-Rinse Unit: 1.15 GPM, 8" Center Deck Mount	

- ✓ Faucet with 8" Centers
- ✓ Built-in Cartridges.
(Quarter Turn Cartridge with Integral Spring Check Lever)
- ✓ Inlet Kit (C8118) Sold Separately.



Required to Install



Deck Mount

Part #	Part Name	
C8468	8" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 12" Spout with 1.15 Knife Jet Valve	 C8042
C8573	4" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 8" Spout with 1.15 Knife Jet Valve	
C8567	4" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 6" Spout with 1.15 Knife Jet Valve	
C8572	4" Center Deck Mount Long Height Pre-Rinse, Double Lever with 1.15 Knife Jet Valve	
C8468-1.15	8" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 12" Spout with 1.15 GPM	 C9526
C8573-1.15	4" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 8" Spout with 1.15 GPM	
C8567-1.15	4" Center Deck Mount Pre-Rinse with Wall Bracket and Add on Faucet with 6" Spout with 1.15 GPM	
C8572-1.15	4" Center Deck Mount Long Height Pre-Rinse, Double Lever with 1.15 GPM	




Part #	Part Name	
C8470	8" Center Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 8" spout with 1.15 Knife Jet Valve	 C8042
C8469	8" Center Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 6" spout with 1.15 Knife Jet Valve	
C8470-1.15	8" Center Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 8" spout with 1.15 GPM	 C9526
C8469-1.15	8" Center Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 6" spout with 1.15 GPM	


PRE - RINSE UNIT

Single Hole Double Lever Deck Mount

Part #	Part Name	
C8441	Pre Rinse Unit- Short Height Double Lever,Single Hole Deck Mount Highflow Spray valve with Hoses	 



Hose Included



C8696X2

Part #	Part Name	
C8443	Pre-Rinse Unit: Long Height Double Lever Single Hole Deck Mount, High Flow Spray Valve	 
C8443-1.15	Pre-Rinse Unit: Long Height Double Lever Single Hole Deck Mount, 1.15 GPM Spray Valve	 




Low Water Flow
Spray Valve

Single Hole Double Lever Deck Mount

Part #	Part Name	
C8445	Pre-Rinse Unit Long Height Double Lever Single Hole Deck Mount and Add-on Faucet with 12" spout with Knife Jet Valve	1.15 GPM  C8042
C8445-1.15	Pre-Rinse Unit Long Height Double Lever Single Hole Deck Mount and Add-on Faucet with 12" spout with 1.15 GPM Spray Valve	1.15 GPM  C9526



Hose Included



Part #	Part Name	
C8444	Single Hole Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 8" Spout with Knife Jet Valve	1.15 GPM  C8042
C8444-1.15	Single Hole Deck Mount Space Saver Pre-Rinse and Add-On Faucet with 8" Spout with 1.15 GPM Spray Valve	1.15 GPM  C9526



Low Water Flow
Spray Valve

REPAIR KIT FOR PRE RINSE FAUCET

Classic Cartridge



C8171



C9516



C9517



C9518

Part #	Part Name
C8171	Spring Check Spindle Assembly Replacements
C9516	Swivel Repair Kit
C9517	Spray Valve(Gray C8149) Repair Kit
C9518	Repair Kit for Swivel Nozzle



C9521



C9522



C9525



C8125x12

Part #	Part Name
C9521	C8149 Spray Base, Bumper & Screw Repair Kit
C9522	Replacement Parts Kit for Classic Cartridge
C9525	Quarter Turn Classic Cartridge with Spring Check Parts Kit
C8125x12	White Washer for Eccentric Coupling Flange Assembly



C9504



C9505



C8139



C9502



C9503

Part #	Part Name
C9502	Lever Handle Kit
C9503	Economy Lever Handle Kit
C9504	Economy Lever Handle With - COLD Index & Screw
C9505	Economy Lever Handle With - HOT Index & Screw
C8139	Handle Screw

New
Angled
Design

Spray Valves

Save money per store by
choosing our low flow
faucets & pre-rinse spray valves



Sharp Knife Jet



With Brush



Pot Filler



High Flow



Low Flow



Angled Spray Valve

All Spray Valve Option Available In Stainless Steel Handle

SS NEVER BREAK



C8042.09.50-SS

SPRAY VALVES

SAVE

ENERGY

WATER

MONEY

Part#

Flow Rate

C8042

Low Flow Spray Valve for Pre Rinse - 1.15 GPM



4.35 (L/min)



C9526

Spray Valve for Pre Rinse 1.15 GPM



4.35 (L/min)



C9519

Angled Pre-Rinse Spray Head-1.42 GPM



5.37 (L/min)



C9520

Standard Spray Valve with Brush-1.42 GPM



5.37 (L/min)



C8149

Spray Valve For Pre Rinse - 1.42GPM



5.37 (L/min)



C8249

High Flow Spray Valve for Pre Rinse 4.50GPM



17.00 (L/min)



Part #	Part Name
C9523	Pot Filler Spray Valve



C9523

SPRAY VALVES



Part #	Part Name
C8042	Low Flow Spray Valve for Pre Rinse - 1.15 GPM



Sharp Knife Jet
Spray Pattern



Sharp Knife Jet
Spray Pattern




OPTION
Also available in

C8042.09.50-SS

Stainless Steel Handle
SS NEVER BREAK

SPRAY VALVES REPLACEMENT PARTS



S.No.	Part #	Part Name
1	C8042.09X1	Handle for Pre-Rinse Spray Head
2	C8042.08X1	Ring for Pre-Rinse Spray Head
3	C8042.51	Valve Assembly for Pre-Rinse Spray Head
4	C8042.19X1	Binding Post Screw
5	C8149.01.05	Pre Rinser Body Base Holder Screw

S.No.	Part #	Part Name
6	C8149.01.03X1	Pre Rinser Body Plastic Base
7	C8149.01.04	Pre Rinser Body Bumper (Rubber Base)
8	C8149.01.01	Pre Rinser body base
9	C8149.01.02	Pre Rinser Body Pipe
10	C8042.18X1	Binding Post Nut


REPAIR KIT

Part #	Part Name
C9509	Pre Rinse Valve Assembly Repair Kit
C9510	Spray Valve Repair Kit




SWIVEL ADAPTOR FOR SPRAY VALVE

S.No.	Part #	Part Name
1	C8124	Swivel Adapter for Pre Rinse Spray Valve




S.No.	Part #	Part Name
1	C8131x12	Rubber Washer for Pre Rinse Spray Assembly



FLEXIBLE SPRAY VALVE HOSES


SS Flexible Pipe Assembly & Less Handle



*C8240 Recommended

Part #	Size(x)
C8223	18-3/8"
C8225	20-3/8"
C8227	22-3/8"
C8231	26-5/8"
C8140	30-5/8"
C8240	34-5/8"
C8242	36-5/8"
C8244	38-5/8"
C8257	44-1/2"
C8253	48-1/2"
C8255	50-3/8"
C8268	62-5/8"

SS Flexible Pipe Assembly & Grip Handle



C8226

Part #	Size(x)	Feet
C8218	18"	1.5'
C8224	24"	2'
C8226	26"	2.2'
C8228	28"	2.4"
C8232	32"	2.5"
C8236	36"	3'
* C8147	44"	3.5'
C8248	48"	4'
C8258	50"	4.2'
C8254	54"	4.5'
C8256	56"	4.8'
C8267	68"	5.5'

* used in most of pre rinse units.

PRE RINSE UNIT PARTS

RISER TUBE



Part #	Part Name
C8060	7" long x 3/8" MPT - Riser Tube
C8061	12" long x 3/8" MPT - Riser Tube
C8062	18" long x 3/8" MPT - Riser Tube
C8063	24" long x 3/8" MPT - Riser Tube
C8064	32" long x 3/8" MPT - Riser Tube

SPRAY HEAD RISER TUBE HOOK




Part #	Part Name
C8066	Pre rinse Spray head riser tube Hook
C8067	Pre rinse Spray head riser tube Hook - Short

SPRING FOR SPACE SAVER



Part #	Part Name
C8074	3" Wall mount Bracket for Upright pre-rinse
C8075	6" Wall mount Bracket for Upright pre-rinse
C8076	9" Wall mount Bracket for Upright pre-rinse
C8077	12" Wall mount Bracket for Upright pre-rinse
C8078	15" Wall mount Bracket for Upright pre-rinse
C8079	18" Wall mount Bracket for Upright pre-rinse
C8080	21" Wall mount Bracket for Upright pre-rinse
C8081	24" Wall mount Bracket for Upright pre-rinse



Part #	Part Name
C8129	Pre-rinse Faucet spring
C8229	Compact Pre-rinse Spring

WALL BRACKETS



CHEMICAL TEE

Part #	Part Name
C8589	Rigid Chemical Tee Assembly, Chrome Plated



ADD ON FAUCET



C8203



C8173

(Quarter Turn Classic Cartridge)*

Part #	Part Name
C8173	Add on Faucet Body
C8203	Add-on Faucet w/ 6" Swing Nozzle
C8401	Add-on Faucet w/ 8" Swing Nozzle
C8204	Add-on Faucet w/ 12" Swing Nozzle
C8205	Add-on Faucet w/ 18" Swing Nozzle
C8210	Add-on Faucet w/ 10" Swing Nozzle

PRE-RINSE REPLACEMENT (LESS BASE FAUCET)



Part #	Part Name
C9527	Pre-Rinse with 18" Riser, 44" Hose & 1.15GPM Shower Spray Valve- Less Base Faucet



Part #	Part Name
C9528	Pre-Rinse with 18" Riser, 44" Hose & 1.15GPM with Knife Jet Valve- Less Base Faucet

REPLACEMENT PRE RINSE BASES (COMPATIBLE WITH ANY BRAND)



C8443.50



C8108



C8277.50 (Rigid)



C8183



C8239.50



C8447 (Rigid)

Platinum
SERIES



Platinum

SERIES


QUARTER TURN CLASSIC CARTRIDGE



QUARTER TURN CLASSIC CARTRIDGE WITH SPRING CHECK




CERAMIC CARTRIDGE WITH INBUILT CHECK VALVE




Add Suffix **CE** at end of part number
for Ceramic Cartridge option.

Classic Faucet Cartridge
Durable Design



Ceramic Faucet Cartridge
High Performance

High Performance Cartridge Valves That Are Designed For Longevity.



Cartridge Water Saving - GPM Chart

	At 60 psi	At 60 psi (With Spring Checks)
Classic Cartridge	8 GPM per side	6 GPM per side
Ceramic Cartridge	6 GPM per side	5 GPM per side

UP Gradable Cartridge

Just Add SUFFIX - CE At End of Any Faucet Part Number For Ceramic Cartridge Version of Same Faucet

Example Table

Part No.	Cartridge
C XXXX	Classic
C XXXX-CE	Ceramic

DECK MOUNT BASE FAUCETS



C8277.50
4" Center Deck Mounted
Swivel Base Faucet body



C8107
4" Center Deck Mounted
**Workboard Faucets Base
Only**



C8637
6" Center Deck Mounted
Swivel Base Faucet body



C8105
8" Center Deck Mounted
Swivel Base Faucet body



C8496.50
Double Lever Single Hole
Deck Mount Rigid Spout
Base Faucet-Heavy Duty



C8183
Single Hole Single Lever
Rigid (Heavy Duty)

WALL MOUNT BASE FAUCETS



C8106
4" Center Dual Lever Platinum
**Workboard Faucets Base
Only**




C8109
8" Center Dual Lever
Platinum



C8447
Single Wall
Base Body



WRIST HANDLE



PARTCODE + WH - Add Suffix

* All Wrist Handle Faucets Come With **CERAMIC CATRIDGE**

AERATORS & OUTLET DEVICES


Aerated Flow



Laminar Flow



Multi Laminar Flow



**Standard
Aerator**

**Vandal Resistance
Aerator**

Multi Spray

AERATORS & OUTLET DEVICES

Standard Aerators



No tool required

C8616
Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

C8617
Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM



Vandal-Resistant Aerators



Special tool required

C8618
Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

C8619
Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Best Suitable For



Public Place



School

Multi Spray



C8630
Multi Laminar Flow Outlet

Suffix	Description
MS6	2.20 GPM

Deck Mount Faucet



PARTCODE + WH - Add Suffix
* All Wrist Handle Faucets Come
With **CERAMIC CARTRIDGE**



4 YEARS
LIMITED WARRANTY

Use Suffix **.kit** if you need installation kit with faucet

Required to Install



C8601X2
Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression


OR



C8118
Deck Faucet
Mounting Kit

4" Center Deck Mount

Part #	Part Name	
C8577	Double Lever Pantry Faucet, Double Hole Base, 4" Deck Mount, 6" Cast Spout	
C8611	Double Lever Pantry Faucet, Double Hole Base, 4" Deck Mount, 8" Cast Spout	
C8366	Double Lever Pantry Deck Mount Swivel Base Faucet with 6" Swing Nozzle	
C8367	Double Lever Pantry Deck Mount Swivel Base Faucet with 8" Swing Nozzle	
C8368	Double Lever Pantry Deck Mount Swivel Base Faucet with 10" Swing Nozzle	
C8369	Double Lever Pantry Deck Mount Swivel Base Faucet with 12" Swing Nozzle	
C8370	Double Lever Pantry Deck Mount Swivel Base Faucet with 14" Swing Nozzle	
C8371	Double Lever Pantry Deck Mount Swivel Base Faucet with 18" Swing Nozzle	
C8278	Double Lever Pantry Faucet, Deck Mount, 4" Centers, 5-11/16" wide Swivel Gooseneck	
C8279	Double Lever Pantry Faucet, Deck Mount, 4" Centers, 8-1/2" wide Swivel Gooseneck	
C8277	Double Lever Pantry Faucet, Deck Mount, 4" Centers, 3-1/2" wide Swivel Gooseneck	
C8277.50	Double Lever Pantry Deck Mount, 4" Center, Swivel Base Faucet	



PANTRY FAUCETS

Deck Mount Faucet



PARTCODE + WH - Add Suffix
* All Wrist Handle Faucets Come
With CERAMIC CARTRIDGE



4 YEARS
LIMITED WARRANTY

Use Suffix **.kit** if you need installation kit with faucet

Required to Install



C8601X2
Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression


OR



C8118
Deck Faucet
Mounting Kit

6" Center Deck Mount

Part #	Part Name	
C8637-6	Double Lever Pantry Deck Mount Swivel Base Faucet with 6" Swing Nozzle	
C8637-8	Double Lever Pantry Deck Mount Swivel Base Faucet with 8" Swing Nozzle	
C8637-10	Double Lever Pantry Deck Mount Swivel Base Faucet with 10" Swing Nozzle	
C8637-GN	Double Lever Pantry Faucet, Deck Mount, 4" Centers, 3-1/2" wide Swivel Gooseneck	
C8637	Double Lever Pantry Deck Mount, 4" Center, Swivel Base Faucet	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

PANTRY FAUCETS

Deck Mount Faucet



PARTCODE + WH - Add Suffix
* All Wrist Handle Faucets Come With **CERAMIC CARTRIDGE**



4 YEARS
LIMITED WARRANTY

Use Suffix **.kit** if you need installation kit with faucet

Required to Install



C8601X2
Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression


OR



C8118
Deck Faucet
Mounting Kit

8" Center Deck Mount

Part #	Part Name	
C8578	Double Lever Pantry Faucet, Double Hole Base, 8" Deck Mount, 6" Cast Spout	
C8612	Double Lever Pantry Faucet, Double Hole Base, 8" Deck Mount, 8" Cast Spout	
C8185	Double Lever Pantry Deck Mount Swivel Base Faucet with 6" Swing Nozzle	
C8186	Double Lever Pantry Deck Mount Swivel Base Faucet with 8" Swing Nozzle	
C8187	Double Lever Pantry Deck Mount Swivel Base Faucet with 10" Swing Nozzle	
C8188	Double Lever Pantry Deck Mount Swivel Base Faucet with 12" Swing Nozzle	
C8195	Double Lever Pantry Deck Mount Swivel Base Faucet with 14" Swing Nozzle	
C8189	Double Lever Pantry Deck Mount Swivel Base Faucet with 18" Swing Nozzle	
C8196	Double Lever Pantry Faucet, Deck Mount, 8" Centers, 3-1/2" WIDE Swivel Gooseneck, Lever Handles	
C8197	Double Lever Pantry Faucet, Deck Mount, 8" Centers, 8-1/2" Swivel Gooseneck, Lever Handles	
C8194	Double Lever Pantry Faucet, Deck Mount, 8" Centers, Swivel/Rigid Gooseneck, Lever Handles	
C8233	Double Lever Pantry Faucet, Deck Mount, 8" Centers, 3-3/4" WIDE Rigid Gooseneck, Lever Handles	
C8234	Double Lever Pantry Faucet, Deck Mount, 8" Centers, 5 11/16" WIDE Rigid Gooseneck, Lever Handles	
C8105	Double Lever Pantry Deck Mount Swivel Base Faucet, 8" Center	
C8108	Double Lever Pantry Deck Mount Rigid Base Faucet, 8" Center	



Aerators:



Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM


Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Single Hole Single Lever
Deck Mount Faucet




C8432



PARTCODE + WH - Add Suffix
* All Wrist Handle Faucets Come
With **CERAMIC CARTRIDGE**

Single Hole Single Lever Deck Mount

Part #	Part Name	
C8574	Single Lever Pantry Faucet, Single Hole Base, Deck Mount, 6" Cast Spout	
C8608	Single Lever Pantry Faucet, Single Hole Base, Deck Mount, 8" Cast Spout	
C8432	Single Hole Deck Mount Pantry Faucet, Single Lever with 6" Spout	
C8433	Single Hole Deck Mount Pantry Faucet, Single Lever with 12" Spout	
C8437	Single Hole Deck Mount Pantry Faucet, Single Lever with 3-1/2" Wide Gooseneck Spout	
C8472	Single Hole Deck Mount Pantry Faucet, Single Lever with 5 11/16" Wide Swivel Gooseneck Spout	
C8522	Single Hole Deck Mount Pantry Faucet, Single Lever with 8-1/2" Wide Swivel Gooseneck Spout	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Single Hole Deck Mount Heavy Duty



C8183



C8439



C8452



Part #	Part Name
C8183	US Single Pantry Base Faucet - Heavy Duty - Lead Free Brass
C8452	1/4" NPT Tailpiece & Nut
C8439	Deck mounted base without spout - for heavy duty spouts

Single Hole Single Lever Deck Mount

(Quarter Turn Cartridge with Integral Spring Check Lever)*



C8450

Part #	Part Name
C8450	Single Hole Single Temperature Commercial Deck Mount Faucet , Lever Handle , 5 1/2" Rigid Gooseneck w/stream regulator & 1/2" NPSM Male Inlet
C8451	Single Hole Single Temperature Commercial Deck Mount Faucet , Lever Handle , 5 1/2" Rigid Gooseneck w/stream regulator & 1/2" NPSM Male Inlet
C8427	Single Hole Single Temperature Commercial Deck Mount Faucet , Lever Handle , 8-1/2" Rigid Gooseneck w/stream regulator & 1/2" NPSM Male Inlet
C8471	Single Hole Single Temperature Commercial Deck Mount Faucet , Lever Handle , 3 3/4" Rigid Gooseneck w/stream regulator & 1/2" NPSM Male Inlet



C8451



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM


Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

6" Spout

Single Hole Double Lever
Deck Mount Faucet



Single Hole Double Lever Deck Mount Faucet



C8496

Hose Included


C8696X2



4 YEARS
LIMITED WARRANTY




STOCK ITEMS



Single Hole Double Lever Deck Mount

Part #	Part Name	
C8496	Double Lever Pantry Faucet, Single Hole Base, 6" Spout	
C8497	Double Lever Pantry Faucet, Single Hole Base, 12" Spout	
C8429	Double Lever Pantry Faucet, Single Hole Base, 3 1/2" Swivel Gooseneck	
C8498	Double Lever Pantry Faucet, Single Hole Base, 5-11/16" Swivel Gooseneck	
C8499	Double Lever Pantry Faucet, Single Hole Base, 8-1/2" Swivel Gooseneck	
C8504	Double Lever Pantry Faucet, Single Deck Hole Base, 3-3/4" Rigid Gooseneck	
C8505	Double Lever Pantry Faucet, Single Deck Hole Base, 5-11/16" Rigid Gooseneck	
C8507	Double Lever Pantry Faucet, Single Deck Hole Base, 8" Rigid Gooseneck	
C8443.50	Double Lever Single Hole Deck Mount Rigid Spout Base Faucet	
C8496.50	Long Height Double Lever Single Hole Deck Mount Base Faucet - Heavy Duty	



Aerators:



Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

PANTRY FAUCETS

Wall Mount Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY



STOCK ITEMS



Required to Install



C8584x2
3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

8" Center Deck Mount

Part #	Part Name	
C8190	Double Pantry Wall Mount Swivel Base Faucet with 6" Swing Nozzle	
C8453	Double Pantry Wall Mount Swivel Base Faucet with 8" Swing Nozzle	
C8191	Double Pantry Wall Mount Swivel Base Faucet with 10" Swing Nozzle	
C8192	Double Pantry Wall Mount Swivel Base Faucet with 12" Swing Nozzle 	
C8454	Double Pantry Wall Mount Swivel Base Faucet with 14" Swing Nozzle	
C8193	Double Pantry Wall Mount Swivel Base Faucet with 18" Swing Nozzle	
C8576	Double Pantry Faucet, Double Hole Base, 8" Wall Mount, 6" Cast Spout	
C8610	Double Pantry Faucet, Double Hole Base, 8" Wall Mount, 8" Cast Spout	
C8455	Double Pantry Wall Mount Swivel Base Faucet with 15" Swing Nozzle	
C8456	Double Pantry Wall Mount Swivel Base Faucet with 24" Swing Nozzle	
C8458	Double Pantry Faucet, Wall Mount, 8" Centers, 3-1/2" Wide Swivel Gooseneck, Lever Handles	
C8430	Double Pantry Faucet, Wall Mount, 8" Centers, 5-11/16" Wide Swivel Gooseneck, Lever Handles	
C8459	Double Pantry Faucet, Wall Mount, 8" Centers, 8-1/2" Wide Swivel Gooseneck, Lever Handles	
C8237	Double Pantry Faucet, Wall Mount, 8" Centers, 3 3/4" Wide Rigid Gooseneck, Lever Handles	
C8238	Double Pantry Faucet, Wall Mount, 8" Centers, 5 11/16" Wide Rigid Gooseneck, Lever Handles	
C8239	Double Pantry Faucet, Wall Mount, 8" Centers, 8" Wide Rigid Gooseneck, Lever Handles	
C8109	Double Pantry Wall Mount Swivel Base Faucet, 8" Center, Less Nozzle	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Single Hole Wall Mount Faucet



C8448

Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8584

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

Single Hole Wall Mount

Part #	Part Name	
C8575	Single Pantry Faucet, Single Hole Base, Wall Mount, 6" Cast Spout	
C8609	Single Pantry Faucet, Single Hole Base, Wall Mount, 8" Cast Spout	
C8448	Single Pantry Faucet, Single Hole Base, Wall Mount, 6" Swing Nozzle	
C8449	Single Pantry Faucet, Single Hole Base, Wall Mount, 12" Swing Nozzle	
C8564	Single Pantry Faucet, Single Hole Base, Wall Mount, 12" Double Joint Swing Nozzle	
C8565	Single Pantry Faucet, Single Hole Base, Wall Mount, 15" Double Joint Swing Nozzle	
C8566	Single Pantry Faucet, Single Hole Base, Wall Mount, 18" Double Joint Swing Nozzle	
C8598	Single Pantry Faucet, Single Hole Base, Wall Mount, 3 1/2" Swivel gooseneck	
C8599	Single Pantry Faucet, Single Hole Base, Wall Mount, 5 11/16" Swivel gooseneck	
C8600	Single Pantry Faucet, Single Hole Base, Wall Mount, 8 1/2" Swivel gooseneck	
C8447	Single Wall Base Body	



Aerators:



Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Deck Mount **Workboard Faucets**



C8636-GN5



C9564-GN5

Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8601.50X2
24" Inlet Supply Hoses
(3/8" Compression x 1/2" NPSM Female)

4" Center Deck Mount Workboard Faucet

Part #	Part Name	
C8636-GN5	Workboard Faucet 4" Center Deck Mount with 5-11/16" Swivel Gooseneck	
C8636-GN5-KIT	Workboard Faucet 4" Center Deck Mount with 5-11/16" Swivel Gooseneck With Hoses	
C8636	Workboard Faucet 4" Deck Mount Center Base Faucet	

8" Center Deck Mount Workboard Faucet

Part #	Part Name	
C9564-GN5	Workboard Faucet 8" Center Deck Mount with 5-11/16" Swivel Gooseneck	
C9564-GN5-KIT	Workboard Faucet 8" Center Deck Mount with 5-11/16" Swivel Gooseneck With Hoses	
C9563	Workboard Faucet 8" Center Deck Mount with 12" Swing Nozzle	
C9563-KIT	Workboard Faucet 8" Center Deck Mount with 12" Swing Nozzle With Hoses	
C9564	Workboard Faucet 8" Center Deck Mount Base Faucet	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

WORKBOARD FAUCET & SPOUT

Wall Mount



4 YEARS
LIMITED WARRANTY

(Quarter Turn Cartridge with Integral Spring Check Lever)*

Part #	Part Name
C8106	Wall Mount Workboard Faucet - 4" Center (Base Only)



C8106



SWIVEL



Swivel Gooseneck

Part #	Part Name
C8202	Swivel Gooseneck, 5-11/16" Spread, 10-3/8" Height, 6-3/8" Clearance
C8211	Swivel Gooseneck, 3-1/2" Spread, 7-1/2" Height
C8212	Swivel Gooseneck, 8-1/2" Spread, 12-1/16" Height



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Platinum SERIES

REPLACEMENT CARTRIDGES Suitable For All Platinum Series Faucets

COLD

**With Handle
C8162-SET**



**Without Handle
C8162**



**With Handle
C8161-SET**



**Without Handle
C8161**



HOT



Screw Type

Platinum SERIES

REPLACEMENT CARTRIDGES

Suitable For All Platinum Series Faucets

COLD



**With Handle
C8158**



**Without Handle
C8138**




**With Handle
C8157**



**Without Handle
C8134**



HOT



Spring Check Valve Type

Platinum SERIES

REPLACEMENT CARTRIDGES Suitable For All Platinum Series Faucets

COLD

**With Handle
C9533**



**Without Handle
C8635**



**With Handle
C9532**



**Without Handle
C8634**



HOT



Ceramic Check Valve Type

PANTRY FAUCET ACCESSORIES *Platinum* SERIES



Part #	Part Name
C8160	Classic Cartridge With Lever Handle Index, Screw - COLD
C8159	Classic Cartridge With Lever Handle, Index, Screw - HOT



Part #	Part Name
C8161-SET	Quarter Turn Classic Cartridge HOT for Manual Faucet
C8162-SET	Quarter Turn Classic Cartridge COLD for Manual Faucet



Part #	Part Name
C8171	Spring Check Spindle Set of HOT & COLD



Set of **Hot** & **Cold**



Part #	Part Name
C8157	Quarter Turn Cartridge With Integral Spring Check, Lever Handle, Screw, Index - HOT
C8158	Quarter Turn Cartridge With Integral Spring Check, Lever Handle, Screw, Index - COLD

WRIST HANDLE ACCESSORIES



Platinum
SERIES

Part #	Part Name
C9532	Ceramic Cartridge With Lever Handle, Index, Screw - HOT
C9533	Ceramic Cartridge With Lever Handle, Index, Screw - COLD



C9532



C9533



Part #	Part Name
C9534	Ceramic Cartridge With Wrist Handle, Index, Screw - HOT
C9535	Ceramic Cartridge With Wrist Handle, Index, Screw - COLD



Platinum
SERIES

Part #	Part Name
C8154	Lever Handle With - COLD Index & Screw
C8155	Lever Handle With - HOT Index & Screw
C9502	Lever Handle Kit Set of HOT & COLD




C9502



C8154



C8155



C9537

C9536

C9531

Part #	Part Name
C9536	Wrist Handle With - COLD Index & Screw
C9537	Wrist Handle With - HOT Index & Screw
C9531	Wrist Handle Kit Set of HOT & COLD

REPAIR KIT FOR PRE RINSE FAUCET



C9516



C9518



C9524



C9522

Part #	Part Name
C9516	Swivel Repair Kit
C9518	Repair Kit for Swivel Nozzle
C9522	Replacement Parts Kit for Classic Cartridge
C9524	Repair Kit for Spray Valve & Foot Pedal Valve



C9525



C9525-US



C8125x12

Part #	Part Name
C9525	Quarter Turn Classic Cartridge with Spring Check Parts Kit
C9525-US	Quarter Turn Classic Cartridge with Spring Check Parts Kit
C8125x12	White Washer for Eccentric Coupling Flange Assembly



C9504



C9505



C8139



C9503

Part #	Part Name
C9503	Economy Lever Handle Kit
C9504	Economy Lever Handle With - COLD Index & Screw
C9505	Economy Lever Handle With - HOT Index & Screw
C8139	Handle Screw



WALL MOUNT





DECK MOUNT



PRE - RINSE UNIT

Deck Mount


Part #	Part Name
C8219	Pre-Rinse Unit: Single Lever Deck Mount with High Flow Spray Valve
C8220	Pre-Rinse Unit: Single Hole Deck Mount, High Flow Spray Valve, Add-On Faucet and 12" Nozzle




PRE - RINSE UNIT

Deck Mount

Part #	Part Name
C8221	Pre-Rinse Unit: Short Height, Single Hole Deck Mount, High Flow Spray Valve
C9554	Single Lever Deck Mount Faucet, High Flow Spray Valve, Add-On Faucet, and 8" Swing Nozzle
C8025	Check Valve for 15 mm OD Copper Tubing Assembly (1/2 male and 1/2 female)



ADD ON FAUCET




(Quarter Turn Classic Cartridge)*

Part #	Part Name
C9554.52	Add-on 8" Submarine Spout with 3 Wing Handle

PRE - RINSE UNIT


Deck Mount

Part #	Part Name
C8436	Pre-Rinse Unit: Short Height Double Lever, Single Hole, Deck Mount,4.50GPM Spray Valve



C8436

Part #	Part Name
C8442	Ecoline Pre Rinse Unit Deck Mount Single Hole, Double Lever





C8442

PRE - RINSE UNIT

Wall Mount

Part #	Part Name
C9552	Single Lever Wall Mount Pre-Rinse W/ High Flow Spray Valves 44" Flexible Stainless Steel Hose



Part #	Part Name
C9559	Single Lever Wall Mount Pre-Rinse Faucet Body, High Flow Spray Valves With 12" Submarine Add -On -Faucet



ADD ON FAUCET




(Quarter Turn Classic Cartridge)*

Part #	Part Name
C9554.52	Add-on 8" Submarine Spout with 3 Wing Handle



PRE - RINSE UNIT



Example Table

Part No.	Cartridge
C XXXX-CE	Ceramic

Just Add SUFFIX - CE At End of Any Faucet Part Number For Ceramic Cartridge Version of Same Faucet

WALL MOUNT	SINGLE LEVER DECK MOUNT	DECK MOUNT	DOUBLE LEVER DECK MOUNT
 Available in CENTRE BODY: 4" / 6" / 8"		 Available in CENTRE BODY: 4" / 6" / 8"	
			

Deck Mount

Part #	Part Name	
C9468	Ecoline Pre-Rinse Unit, 8" Deck Mount, Add-On Faucet, 12" Swing Nozzle	 



C9468

Part #	Part Name	
C9595	Ecoline Pre Rinse Unit with 4" Deck Mount Base, Add-On Faucet w/ 12" Swing Nozzle	 



C9595


 Download
 Revit / CAD
 files from
 Website

PRE - RINSE UNIT


Wall Mount


Part #	Part Name	
C9576	Ecoline Pre-Rinse Unit, 8" Wall Mount, 1.15 GPM Spray Valve	  C9526



C9576

Single Hole Double Lever Deck Mount

Part #	Part Name	
C9556	Ecoline Pre-Rinse Unit, Single Hole Deck Mount , and Add-ON Faucet with 12" Spout - 1.15 GPM	  C9526
C9556-WOAO	Ecoline Pre-Rinse Unit, Single Hole Deck Mount ,with 1.15 GPM Spray valve	  C9526



PRE - RINSE UNIT


Single Hole Single Lever Deck Mount

Part #	Part Name	
C9585	Ecoline Pre-Rinse Unit, Single Lever Deck Mount and 12" Add On Faucet - 1.15 GPM Spray Valve	 C9526



C9585

DECK MOUNT BASE FAUCETS



C9605
6" Centre Deck Mount
Body For Swivel Spouts



C9805
8" Centre Deck Mount
Body For Swivel Spouts



C8296.50
4" Centre Deck Mount
Body For Swivel Spouts
**Workboard Faucets
Base Only**



C9560
Deck Mount Single
Hole Without Nozzle



C9175.51
Deck Mount Single
Hole Without Nozzle

WALL MOUNT BASE FAUCETS



C8438
4" Centre Dual
Lever Wall Base Body
**Workboard Faucets
Base Only**



C8907
8" Centre Dual
Lever Wall Base Body



C9449.50
Single Wall
Base Body

PANTRY FAUCETS

Double Pantry Wall Mounted Faucet:
The perfect solution when
you are required with steady
water fixture in your facility.



Swing Nozzle: Stream
Regulator Suitable for
all Aluids Faucets.




Lever handle with hot
index : Pressure
of 20-126 psi at temperature
of 40 F to 141 F



Lever Handle with cold
Index : Pressure of
20 - 126 psi at
temperature of 40 F to 140 F.

5^{1/2}" Spout

Deck Mount Faucet



Deck Mount Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install



C8601X2

Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression

OR




C8118

Deck Faucet
Mounting Kit

PANTRY FAUCETS

6" Center Deck Mount

Part #	Part Name	
C9605-GN	Ecoline 6" Deck Mount Pantry Faucet Base with 5 1/2" Gooseneck	
C9605-GN-KIT	Ecoline 6" Deck Mount Pantry Faucet Base with 5 1/2" Gooseneck	
C9605	Ecoline 6" Deck Mount Pantry Faucet Base	



**C9605-GN-KIT
(with hose)**

**C9605-GN
(without hose)**

Aerators:



Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Deck Mount Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install



C8601X2

Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression

OR




C8118

Deck Faucet
Mounting Kit

PANTRY FAUCETS

8" Center Deck Mount

Part #	Part Name	
C9608-GN	Ecoline 8" Deck Mount Mixing Faucet , 5 1/2" Gooseneck Spout with Laminar Flow Aerator	
C9805-8	Ecoline 8" Deck Mount Mixing Faucet With 8" Swing Nozzle	
C9805-8-KIT	Ecoline 8" Deck Mount Mixing Faucet With 8" Swing Nozzle With Hose	
C9805-12	Ecoline 8" Deck Mount Mixing Faucet With 12" Swing Nozzle	
C9805-12-KIT	Ecoline 8" Deck Mount Mixing Faucet With 12" Swing Nozzle With Hose	
C9805	Ecoline 8" Deck Mount Mixing Faucet Base	



Aerators:


Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM


Single Hole Single Lever Deck Mount Faucet



PANTRY FAUCETS

Single Hole Single Lever Deck Mount

Part #	Part Name	
C9273	Ecoline Single Pantry Faucet ,Single Hole Base, Deck Mount , 8" Swing Nozzle	
C9274	Ecoline Single Pantry Faucet ,Single Hole Base, Deck Mount , 10" Swing Nozzle	
C9175	Ecoline Single Pantry Faucet ,Single Hole Base, Deck Mount ,5-1/2" swivel Gooseneck	
C9175.51	Single Pantry Base Faucet - Lead Free Brass	



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM


Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Single Hole Double Lever Deck Mount Faucet



C9168


**Hose Included
with this Model**



C8696X2

Male Inlet →


Hoses Included →



PANTRY FAUCETS

Single Hole Double Lever Deck Mount

Part #	Part Name	
C9168	Ecoline Single Hole Deck Mount Faucet With 18" flexible hoses ,8"swing nozzle	
C9174	Ecoline Single Hole Deck Mount Faucet With 18" flexible hoses ,10"swing nozzle	
C9174-12	Ecoline Single Hole Deck Mount Faucet With 18" flexible hoses ,12"swing nozzle	
C9560	Ecoline Single Hole Deck Mount Faucet With 18" flexible hoses, Base Faucet	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM


Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Wall Mount Faucet



C9565-8

Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8584x2

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware - Pair

PANTRY FAUCETS

4" Center Wall Mount

Part #	Part Name	
C9565-8	Ecoline 8" Wall Mount Mixing Faucet With 8" Swing Nozzle	
C9565-10	Ecoline 8" Wall Mount Mixing Faucet With 10" Swing Nozzle	
C9565	Ecoline 8" Wall Mount Mixing Faucet With 12" Swing Nozzle	
C9565-8-KIT	Ecoline 8" Wall Mount Mixing Faucet With 8" Swing Nozzle With Hose	
C9565-10-KIT	Ecoline 8" Wall Mount Mixing Faucet With 10" Swing Nozzle With Hose	
C9565-12-KIT	Ecoline 8" Wall Mount Mixing Faucet With 12" Swing Nozzle With Hose	
C8907	Ecoline 8" Wall Mount Mixing Faucet Base	



	Aerators:		Standard Aerated Flow Outlet		Vandal Resistant Aerated Flow Outlet		Vandal Resistant Laminar Flow Outlet		Standard Laminar Flow Outlet	
	Suffix	Description	Suffix	Description	Suffix	Description	Suffix	Description	Suffix	Description
	E1	0.20 GPM	G1	0.35 GPM	H1	0.35 GPM	F1	0.50 GPM		
	E2	0.50 GPM	G2	0.50 GPM	H2	0.50 GPM	H2	0.50 GPM		
	E3	1.00 GPM	G3	1.00 GPM	H3	1.00 GPM	H3	1.00 GPM		
	E4	1.50 GPM	G4	1.50 GPM	H4	1.50 GPM	H4	1.50 GPM		
	E5	1.80 GPM								
	E6	2.20 GPM								

Single Hole Wall Mount Faucet



C9449

Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY



Required to Install




C8584

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

PANTRY FAUCETS

Single Hole Wall Mount

Part #	Part Name	
C9449	Ecoline Single Pantry Faucet ,Single Hole Base, Wall Mount, 10" Swing Nozzle	
C9449 KIT	Ecoline Single Pantry Faucet ,Single Hole Base, Wall Mount, 10" Swing Nozzle With Hose	
C9449.50	Ecoline Single Pantry Faucet ,Single Hole Base, Wall Mount, Base Faucet	



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

WORKBOARD FAUCET & SPOUT

Wall Mount

(Quarter Turn Cartridge with Integral Spring Check Lever)*

Part #	Part Name
C8438	Wall Mount Workboard Faucet - 4" Center (Base Only)



C8438



Swivel Gooseneck

Part #	Part Name
C8259	Ecoline Swivel Gooseneck Spout, 7 1/2" Height, 3-1/2" Spread, 5" Clearance

Part #	Part Name
C8276	4" Wall Mount Workboard Faucet with 3-1/2" Wide Gooseneck Spout



C8276

Deck Mount

(Quarter Turn Cartridge with Integral Spring Check Lever)*

Part #	Part Name
C8296.50	Deck Mount Workboard Faucet - 4" Center (Base Only)



C8296.50



Swivel Gooseneck

Part #	Part Name
C8259	Ecoline Swivel Gooseneck Spout, 7 1/2" Height, 3-1/2" Spread, 5" Clearance

Part #	Part Name
C8296	4" Wall Mount Workboard Faucet with 3-1/2" Wide Gooseneck Spout



C8296



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Part #	Part Name
C9170	Ecoline Series Lever Handle Kit
C9171	Ecoline Series Ceramic Cartridge Assembly Replacements
C9172	Ecoline Series Swivel Spout Repair Kit
C8125x12	White Washer for Eccentric Coupling Flange Assembly

Ceramic Cartridge



C9174.01-H C9174.01-C

C9171




C9172



C8125x12



C9170



Essential Series



— 4 YEARS —
LIMITED WARRANTY

WALL MOUNT



Available in
CENTRE BODY: 4" / 8"

DECK MOUNT




Available in
CENTRE BODY: 4"




PRE - RINSE UNIT

Deck Mount

Part #	Part Name
C9240	Essential Series 4"Center Deck Mount Workboard Faucet Pre Rinse -1.15 GPM Spray Valve with 44" Flexible Stainless steel Hose




Part #	Part Name
C9242	Essential Series 4"Center Deck Mount Workboard Faucet Pre Rinse -1.15 GPM Spray Valve with Add On Faucet ,44" Flexible Stainless steel Hose



PRE - RINSE UNIT

Wall Mount

Part #	Part Name
C9232	Essential Series 8" Center Wall Mount Workboard Faucet Pre Rinse -1.15 GPM Spray Valve with 44" Flexible Stainless steel Hose



C9232


ADD ON FAUCET



C9230

(Quarter Turn Ceramic Cartridge)*

Part #	Part Name
C9230	Add-On-Faucet w/ 12" Swing Nozzle



* All Wrist Handle Faucets Come With
CERAMIC CATRIDGE

DECK MOUNT BASE FAUCETS



C9189.51
4" Center Dual Lever
Deck Mount Base Body
For **Workboard Faucet**



C9198.53
4" Center Dual **Wrist Handle**
Deck Mount Base Body
For **Workboard Faucet**

WALL MOUNT BASE FAUCETS



C9195.50
Single hole
Wall Mount Base Body



C9177.54
4" Center Dual Lever
Wall Mount Base Body
For **Workboard Faucet**



C9199.50
4" Center Dual **Wrist Handle**
Wall Mount Base Body
For **Workboard Faucet**



C9232
8" Center Dual Lever
Wall Mount Base body

Deck Mount Workboard Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install



C8601X2

Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression

OR




C8118

Deck Faucet
Mounting Kit


PANTRY FAUCETS

4" Center Deck Mount Workboard Faucet

Part #	Part Name	
C9178	Workboard Faucet 4" Center Deck Mount with 3-1/2" Cast Spout	
C9187	Workboard Faucet 4" Center Deck Mount with 8-1/2" Swivel Gooseneck	
C9188	Workboard Faucet 4" Center Deck Mount with 3-1/2" Swivel Gooseneck	
C9189	Workboard Faucet 4" Center Deck Mount with 8" Swing Nozzle	
C9190	Workboard Faucet 4" Center Deck Mount with 12" Swing Nozzle	
C9192	Workboard Faucet 4" Center Deck Mount with 6" Swing Nozzle	
C9197	Workboard Faucet 4" Center Deck Mount with 6" "D" Extended Swivel Spout	
C9189.51	Workboard 4" Center Deck Mount Main Body With Handle	



Deck Mount Workboard Faucet with Wrist Handle



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install



C8601X2
Inlet Supply Nipple Kit
with 24" Flexible Hoses -
3/8" Compression

OR




C8118
Deck Faucet
Mounting Kit

PANTRY FAUCETS

4" Center Deck Mount Workboard Wrist Handle Faucet

Part #	Part Name	
C9191	Workboard Faucet 4" Center Deck Mount with 3-1/2" Gooseneck with Wrist Handle	
C9198	Workboard Faucet 4" Center Deck Mount with 6" "D" Extended Swivel Spout with Wrist Handle	
C9198.53	Workboard 4" Center Deck Mount Main Body With Wrist Handle	



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Wall Mount Workboard Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8584x2

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

PANTRY FAUCETS

4" Center Wall Mount Workboard Faucet

Part #	Part Name	
C9177	Workboard Faucet 4" Center Wall Mount with 3-1/2" Swivel Gooseneck	
C9193	Workboard Faucet 4" Center Wall Mount with 6" Swing Nozzle	
C9194	Workboard Faucet 4" Center Wall Mount with 10" Swing Nozzle	
C9196	Workboard Faucet 4" Center Wall Mount with 6" "D" Extended Swivel Spout	
C9233	Workboard Faucet 4" Center Wall Mount with 8-1/2" Swivel Gooseneck	
C9177.54	Workboard 4" Center Wall Mount Main Body With Handle	



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
F6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM


Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Wall Mount Workboard Faucet with Wrist Handle



**Wrist
Handle**



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8584x2

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

PANTRY FAUCETS

4" Center Wall Mount Workboard Wrist Handle Faucet

Part #	Part Name	
C9199	Workboard 4" Center Wall Mount Faucet with 3-1/2" Swivel Gooseneck With Wrist Handle	
C9199.50	Workboard 4" Center Wall Mount Main Body With Wrist Handle	



Aerators:

Standard Aerated Flow Outlet	
Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet	
Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet	
Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet	
Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Wall Mount Faucet



Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install




C8584x2

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

PANTRY FAUCETS

4" Center Wall Mount

Part #	Part Name	
C9185	Essential Series 8" Centre Wall Mounted Faucet With 8" Swing Nozzle	
C9185-GN	Essential Series 8" Centre Wall Mounted Faucet With 3 1/2" Swivel Gooseneck	
C9228	Essential Series 8" Centre Wall Mounted Faucet With 14" Swing Nozzle	
C9229	Essential Series 8" Centre Wall Mounted Faucet With 12" Swing Nozzle	
C9231	Essential Series 8" Centre Wall Mounted Faucet With 6" Extended D Spout	
C9185.51	Essential Series 8" Centre Wall Mounted Faucet Main Body With Handle	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

Single Hole Wall Mount



C9195

Use Suffix **.kit** if you need installation kit with faucet



4 YEARS
LIMITED WARRANTY

Required to Install



C8584

3/8" Wall Mount Faucet Water Line Kit-
24" Length With mounting Hardware

PANTRY FAUCETS

Single Hole Wall Mount

Part #	Part Name	
C9195	Essential Series Single Pantry Faucet, Single Hole Base, Wall Mount, 3-1/2" Swivel Gooseneck	
C9195.50	Essential Series Single Hole Main Body	



Aerators:

Standard Aerated Flow Outlet

Suffix	Description
E1	0.20 GPM
E2	0.50 GPM
E3	1.00 GPM
E4	1.50 GPM
E5	1.80 GPM
E6	2.20 GPM

Vandal Resistant Aerated Flow Outlet

Suffix	Description
G1	0.35 GPM
G2	0.50 GPM
G3	1.00 GPM
G4	1.50 GPM

Vandal Resistant Laminar Flow Outlet

Suffix	Description
H1	0.35 GPM
H2	0.50 GPM
H3	1.00 GPM
H4	1.50 GPM

Standard Laminar Flow Outlet

Suffix	Description
F1	0.50 GPM
F2	1.50 GPM

REPLACEMENT PARTS



Part #	Part Name
C9180	Essential Series Lever Handle Kit
C9181	Essential Series Ceramic Cartridge Assembly Replacements
C9182	Essential Series Swivel Spout Repair Kit

Ceramic Cartridge



C9177.22 C9177.21

C9181



C9180



C9182



SENSOR ELECTRONIC FAUCETS

Single Hole Wall Mount



4 YEARS
LIMITED WARRANTY

Part #	Part Name
C4200	Wall mounted faucet with 2.2GPM Aerator



Single Hole Deck Mount



4 YEARS
LIMITED WARRANTY

Part #	Part Name
C4201	Deck Mounted Faucet with 2.2GPM Aerator





SERVICE SINK FAUCET


Strength &
Non-toxic Nature

Nickle Plated
Rough Brass
Finish



C8908

Part #	Part Name
C8908	Service Sink Faucet with Writs Handle



COMMERCIAL HAND WASH SINK




Stainless Steel 304 Construction.

19 GA (1mm) Sheet Thickness.

NSF Approved Design.

Choose Hand Sink as Your Requirement

C9300-1-DS-G-2KV-SDPD




C9300 Series

WALL MOUNT HAND SINKS

- Unit Size: 17"(L) x 15 ½"(D)
- Includes 1 7/8" Drain (Unless noted)




- Bowl Size: 14"(L) x 10"(W) x 5"(D)
- Includes Wall mounting bracket





C9300

4" Center Splash Mount Unit



C9300-8C

8" Center Splash Mount Unit



C8276

4" Wall Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8106

4" Wall Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8356-EXT

Brass P-Trap **without** Cleanout Plug - 1-1/2" - 17 GA



C5890

Bottle Trap
ABS Material

WALL MOUNT HAND SINKS



- Unit Size: 17"(L) x 15 ½"(D)
- Bowl Size: 14"(L) x 10"(W) x 5"(D)
- Includes 1 7/8" Drain (Unless noted)
- Includes Wall mounting bracket



C9300-F

4" Center Splash Mount Unit

- Faucet



C9300-PT-F

4" Center Splash Mount Unit

- Faucet
- P-Trap



C9300-8C-F

8" Center Splash Mount Unit

- Faucet



C9300-1

1 Hole Splash Mount Unit



C9300-EF

Single Hole Splash Mount Unit

- Sensor Faucet



C9300-F-EW

4" Center Splash Mount Unit

- Faucet
- Eye Wash Attachment



C9300-1-G-1KV

Single Hole Splash Mount Unit

- Faucet
- Knee Valve



C9300-1-G-2KV

Single Hole Splash Mount Unit

- Faucet
- Knee Valve



C9300-1-G-2KV-PT

Single Hole Splash Mount Unit

- Faucet
- Knee Valve
- P-Trap



C8276

4" Wall Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8106

4" Wall Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8356-EXT

Brass P-Trap **without** Cleanout Plug - 1-1/2" - 17 GA



C5890

Bottle Trap
ABS Material

WALL MOUNT HAND SINKS WITH SIDE SPLASHES



- Unit Size: 17"(L) x 15 ½"(D)
- Bowl Size: 14"(L) x 10"(W) x 5"(D)
- Includes 1 7/8" Drain (Unless noted)
- Includes Wall mounting bracket



C9300-RS
4" Center Splash Mount Unit
• Right Side Splash



C9300-RS-F
4" Center Splash Mount Unit
• Right Side Splash
• Faucet



C9300-LS
4" Center Splash Mount Unit
• Left Side Splash



C9300-LS-F
4" Center Splash Mount Unit
• Left Side Splash
• Faucet



C9300-DS
4" Center Splash Mount Unit
• Dual Side Splash



C9300-DS-F
4" Center Splash Mount Unit
• Dual Side Splash
• Faucet

P - TRAP



C8356



C8340

Part #	Part Name
C8356	Brass P-Trap without Cleanout Plug - 1-1/2" - 17 GA
C8340	Brass P-Trap with Cleanout Plug - 1-1/2" - 17 GA
C8340-CA	Cast Brass P-Trap with Cleanout Plug - 1-1/2" - 17 GA



C8440
4" Deck Mount Faucet with 3-1/2"
Wide Gooseneck Spout



C8107
4" Deck Mount Faucet with
3-1/2" Wide Gooseneck Spout



C8356-EXT
Brass P-Trap **without** Cleanout
Plug - 1-1/2" - 17 GA



C5890
Bottle Trap
ABS Material

WALL MOUNT HAND SINKS WITH SIDE SPLASHES



- Unit Size: 17"(L) x 15 ½"(D)
- Includes 1 7/8" Drain (Unless noted)
- Includes Wall mounting bracket
- Bowl Size: 14"(L) x 10"(W) x 5"(D)



- C9300-DS-F-PT**
4" Center Splash Mount Unit
- Dual Side Splash
 - Faucet
 - P-Trap



- C9300-1-DS-G-2KV**
Single Hole Splash Mount Unit
- Dual Side Splash
 - Faucet
 - Knee Valve



- C9300-1-DS-G-1KV**
Single Hole Splash Mount Unit
- Dual Side Splash
 - Faucet
 - Knee Valve



Knee Valve With Cover

- C9300-1-G-1KVC**
Single Hole Splash Mount Unit
- Faucet
 - Knee Valve With Cover



Single Knee Valve Hand Sink With Hot & Cold Mixing Set



Your Choice of Single Knee Valve Hand Sink



Hot & Cold Mixing Set

- C9300-1-G-1KV-KIT
- C9300-1-DS-G-1KV-KIT
- C9300-1-G-1KVC-KIT

Single Knee Valve Hand Sink With Thermostatic Mixing Set



Your Choice of Single Knee Valve Hand Sink






Thermostatic Mixing Set

- C9300-1-G-1KV-**TC**-KIT
- C9300-1-DS-G-1KV-**TC**-KIT
- C9300-1-G-1KVC-**TC**-KIT

C9400 Series

DECK MOUNT HAND SINKS

- Unit Size: 17"(L) x 17"(D)
- Bowl Size: 14"(L) x 10"(W) x 5"(D)
- Includes 1 7/8" Drain (Unless noted)
- Includes Wall mounting bracket



C9400

4" Center Deck Mount Unit



C9400-F

4" Center Deck Mount Unit

- Faucet



C9400-PT-F

4" Center Deck Mount Unit

- Faucet
- P-Trap



C9400-1

1 Hole Deck Mount Unit



C9400-1-F

1 Hole Deck Mount Unit

- Faucet



C9400-EF-SD

1 Hole Deck Mount Unit

- Faucet
- Soap Dispenser-250ml



C8440

4" Deck Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8107

4" Deck Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8356-EXT

Brass P-Trap **without** Cleanout Plug - 1-1/2" - 17 GA



C5890

Bottle Trap
ABS Material

DECK MOUNT HAND SINKS WITH SIDE SPLASHES

- Unit Size: 17"(L) x 17"(D)
- Includes 1 7/8" Drain (Unless noted)
- Includes Wall mounting bracket
- Bowl Size: 14"(L) x 10"(W) x 5"(D)



C9400-DS
4" Center Deck Mount Unit
• Dual Side Splash



C9400-DS-F
4" Center Deck Mount Unit
• Dual Side Splash
• Faucet



C9400-DS-F-PT
4" Center Deck Mount Unit
• Dual Side Splash
• Faucet
• P-Trap



C9400-1-DS
Single Hole Deck Mount Unit
• Dual Splash

Hand Sink With Knee Valve & Cover



C9400-1-G-1KVC
1 Hole Deck Mount Unit
• Faucet
• Knee Valve With Cover



C9400-1-G-1KVC-SD
1 Hole Deck Mount Unit
• Soap Dispenser-250ml
• Faucet
• Knee Valve With Cover



C8440
4" Deck Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8107
4" Deck Mount Faucet with 3-1/2" Wide Gooseneck Spout



C8356-EXT
Brass P-Trap **without** Cleanout Plug - 1-1/2" - 17 GA



C5890
Bottle Trap
ABS Material



US1120
Wall Mounted
Soap Dispenser (30oz)



US1125
Wall Mounted
Soap Dispenser (7oz)

Hand Sink With Knee Valve & Cover



C9400-1-WG-1KVC-SD

1 Hole Splash Mount Unit

- Faucet
- Soap Dispenser-250ml
- Knee Valve With Cover



C9400-1-WG-1KVC-SDPD

1 Hole Splash Mount Unit

- Soap Dispenser-250ml
- Paper Dispenser-350-400pcs
- Faucet
- Knee Valve With Cover



C9400-1-G-1KVC-SDPD

1 Hole Deck Mount Unit

- Soap Dispenser-250ml
- Paper Dispenser-350-400pcs
- Faucet
- Knee Valve With Cover



C9400-1-EF-SDPDWB

1 Hole Splash Mount Unit

- Soap Dispenser-250ml
- Paper Dispenser-350-400pcs
- Waste Bin
- Faucet

Single Knee Valve Hand Sink With Hot & Cold Mixing Set



Your Choice of Single Knee Valve Hand Sink



Hot & Cold Mixing Set

- C9400-1-G-1KVC-KIT
- C9400-1-G-1KVC-SD-KIT
- C9400-1-G-1KVC-SDPD-KIT
- C9400-1-WG-1KVC-SD-KIT
- C9400-1-WG-1KVC-SDPD-KIT

Single Knee Valve Hand Sink With Thermostatic Mixing Set



Your Choice of Single Knee Valve Hand Sink



Thermostatic Mixing Set

- C9400-1-G-1KVC-TC-KIT
- C9400-1-G-1KVC-SD-TC-KIT
- C9400-1-G-1KVC-SDPD-TC-KIT
- C9400-1-WG-1KVC-SD-TC-KIT
- C9400-1-WG-1KVC-SDPD-TC-KIT



SWING NOZZLES

Wall Faucet Nozzle

Platinum
SERIES

Part #	Part Name
C8477	3-1/2" wide Swivel Gooseneck, Wall Mount
C8478	Swing Nozzle Assembly, Flanged Wall Mount, 6" Spread
C8479	Swing Nozzle Assembly, Flanged Wall Mount, 8" Spread
C8480	Swing Nozzle Assembly, Flanged Wall Mount, 10" Spread



3-1/2"

C8477



6"

C8478



8"

C8479



10"

C8480

Deck Faucet Nozzle

Platinum
SERIES

Part #	Part Name
C8483	3-1/2" wide Swivel Gooseneck, Deck Mount
C8484	Swing Nozzle Assembly, Deck Mount, 6" Spread
C8485	Swing Nozzle Assembly, Deck Mount, 8" Spread
C8486	Swing Nozzle Assembly, Deck Mount, 10" Spread



3-1/2"

C8483



6"

C8484



8"

C8485



10"

C8486

KNEE PEDAL VALVE

C8850 

DOUBLE KNEE PEDALVALVE

- ✓ Sink mount pedal valve
- ✓ Hot and cold pedals
- ✓ Metering cartridges
- ✓ Material: Polished chrome plated brass body and pedals
- ✓ 1/2" NPT female Inlets
- ✓ 1/2" NPT female outlet
- ✓ Mounting screws included




C8849 

SINGLE KNEE PEDAL VALVE

Part #	Part Name
C8849	Single Pedal Valve 1/2" NPT Female Inlets & Outlet
C8850	Double Pedal Valve 1/2" NPT Female Inlets & Outlet





Part #	Part Name
C8042.51	Valve Assembly for Foot Pedal Valve



DOUBLE PEDAL VALVE

C8852  lead-free



- ✓ Floor mount double pedal valve
- ✓ Hot and cold pedals
- ✓ Metering cartridges
- ✓ Material: Polished chrome plated brass body and pedals
- ✓ 1/2" NPT female Inlets
- ✓ 1/2" NPT female outlet
- ✓ Mounting screws included

Part #	Part Name
C8042.51	Valve Assembly for Foot Pedal Valve

Part #	Part Name
C8852	Double Pedal Valve 1/2" NPT Female Inlets & Outlet

Required to Install



C8601X2



PEDAL VALVE

Part #	Part Name
C8853	Single pedal valve 1/2" Male Inlet and Outlet
C8854	Single Pedal Valve 1/2" Female inlet x Female Outlet – Lead Free



C8853



C8854

Part #	Part Name
C8855	Single Pedal Valve Rigid with Swivel Gooseneck spout
C8856	Single Pedal Valve, Floor Mount, 1/2" NPT Inlet, Rigid Gooseneck
C8961	Outdoor Hand Wash Station

Foot Pedal Kits with Spout



C8855

C8856



C8961

REPAIR KIT FOR PEDAL VALVE



C9524

Part #	Part Name
C9524	Repair Kit for Pedal Valve



C9510

Part #	Part Name
C9510	Foot Pedal Valve Repair Kit

Special Purpose Faucets

Aluids offer special purpose products like Wok Faucets, Pot Filler, Utility Spray all in stock and ready to ship.



POT FILLER FAUCETS



Part #	Part Name
C8558	Double Hole Wall Mount Pot Filler Faucet with 8" Center- 6" Spout
C8559	Double Hole Wall Mount Pot Filler Faucet with 8" Center- 12" Jointed Spout (6" Back , 6" Front)
C8542	Double Hole Wall Mount Pot Filler Faucet with 8" Center- 18" Jointed Spout (12" Back , 6" Front)
C8560	Double Hole Wall Mount Pot Filler Faucet with 8" Center- 24" Jointed Spout (12" Back , 12" Front)




Part #	Part Name
C8606	Single Hole Deck Mount Pot Filler Faucet with 6" Spout
C8607	Single Hole Deck Mount Pot Filler Faucet with 12" Jointed Spout (6" Back , 6" Front)
C8544	Single Hole Deck Mount Pot Filler Faucet with 18" Jointed Spout (12" Back , 6" Front)
C8625	Single Hole Deck Mount Pot Filler Faucet with 24" Jointed Spout (12" Back , 12" Front)



Part #	Part Name
C8626	Single Hole Wall Mount Pot Filler Faucet with 6"Spout
C8627	Single Hole Wall Mount Pot Filler Faucet with 12" Jointed Spout (6" Back , 6" Front)
C8543	Single Hole Wall Mount Pot Filler Faucet with 18" Jointed Spout (12" Back , 6" Front)
C8628	Single Hole Wall Mount Pot Filler Faucet with 24" Jointed Spout (12" Back , 12" Front)




Part #	Part Name
C8676	Pot Filler, Wall Mount, 18" Double Joint Nozzle, 1/2"NPT Inlet, Insulated On-Off Control (12" Back , 6" Front)
C8676-24	Pot Filler, Wall Mount, 24" Double Joint Nozzle, 1/2"NPT Inlet, Insulated On-Off Control (12" Back , 12" Front)



WOK FAUCETS

Part #	Part Name
C8493-13	Wall Mounted Wok Range Faucet with 13" Swing Nozzle, 2.2 GPM Aerator, and 3/8" NPT Male Inlet
C8493-17	Wall Mounted Wok Range Faucet with 17" Swing Nozzle, 2.2 GPM Aerator, and 3/8" NPT Male Inlet
C8494-13	Wall Mounted Wok Wand Range Faucet with 13" Swing Spout, 2.2 GPM Aerator, and 3/8" NPT Female Inlet
C8494-17	Wall Mounted Wok Wand Range Faucet with 17" Swing Spout, 2.2 GPM Aerator, and 3/8" NPT Female Inlet
C8495-13	Wok/ Range faucet with 8" Swing Nozzle - Full Flow -1/2" BSP Male Inlet
C8495-13	Wok/ Range faucet with 13" Swing Nozzle - Full Flow -1/2" BSP Male Inlet
C8495-17	Wok/ Range faucet with 17" Swing Nozzle - Full Flow -1/2" BSP Male Inlet
C8860-13	Pedestal Chinese Wok Faucet with 13" Swing Nozzle, 1/2" NPT Male Inlet, 6" Outlet Clearance
C8860-17	Pedestal Chinese Wok Faucet with 17" Swing Nozzle, 1/2" NPT Male Inlet, 6" Outlet Clearance
C8841-13	Extended Pedestal Chinese Wok Faucet, 1/2" NPT Male Inlet, 16" Outlet Clearance-13" Swing Spout
C8841-17	Extended Pedestal Chinese Wok Faucet, 1/2" NPT Male Inlet, 16" Outlet Clearance-17 " Swing spout


3/8" NPT MALE



1/2" BSP MALE



3/8" NPT FEMALE



1/2" NPT MALE



C8492
Repair Kit for
Wok Range Faucet

MANUAL WOK FAUCETS

Part #	Part Name
C8846	Manual Wok Range Faucet -6" Swivel Spout
C8848	Manual Wok Range Faucet -8" Swivel Spout
C8859	Manual Wok Range Faucet -10" Swivel Spout
C8881	Manual Wok Range Faucet -12" Swivel Spout
C8882	Manual Wok Range Faucet -14" Swivel Spout
C8883	Manual Wok Range Faucet -18" Swivel Spout



POT FILLER



With Vacuum Breaker

Part #	Part Name
C8553	8" Center Wall Mount Pot Filler
C8554	Single Wall Mount Pot Filler
C8555	Single Hole Double Lever Deck Mount Pot Filler
C8605	4" Center Deck Mount Pot Filler
C8556	8" Center Deck Mount Pot Filler
C8557	Single Hole Single Lever Deck Mount Pot Filler

WVB = Without Vacuum Breaker (Domestic Market)

C8553.WVB	8" Center Wall Mount Pot Filler
C8554.WVB	Single Wall Mount Pot Filler
C8555.WVB	Single Hole Double Lever Deck Mount Pot Filler
C8605.WVB	4" Center Deck Mount Pot Filler
C8556.WVB	8" Center Deck Mount Pot Filler
C8557.WVB	Single Hole Single Lever Deck Mount Pot Filler



UTILITY SPRAY

With Vacuum Breaker

Part #	Part Name
C8593	8" Center Wall Mount Utility Spray
C8594	Single Wall Mount Utility Spray
C8595	Single Hole Double Lever Deck Mount Utility Spray
C8597	Single Hole Single Lever Deck Mount Utility Spray
C8629	4" Center Deck Mount Utility Spray
C8596	8" Center Deck Mount Utility Spray

WVB = Without Vacuum Breaker (Domestic Market)

C8593.WVB	8" Center Wall Mount Utility Spray
C8594.WVB	Single Wall Mount Utility Spray
C8595.WVB	Single Hole Double Lever Deck Mount Utility Spray
C8597.WVB	Single Hole Single Lever Deck Mount Utility Spray
C8629.WVB	4" Center Deck Mount Utility Spray
C8596.WVB	8" Center Deck Mount Utility Spray





DOSA TAWA PLATE CLEANER

For Indian Cuisine



KINK
FREE



SWIVEL ADAPTOR



Angled Pre-Rinse Spray Head



5.37 (L/min)

- Commercial-grade Tawa Cleaning Kit
- Controlled, directional water spray
- 104" Stainless Steel Flexible Hose
- Standard UNEF Inlet Compatibility
- Suitable For Continuous Heavy Use
- Recommended For Hotel Kitchens


Part #	Part Name
C8679	Dosa Tawa Plate Spray Cleaning Kit



VACUUM BREAKER



Part #	Part Name
C8579	Vacuum Breaker,1/2" NPT Inlet & Outlet, Atmospheric
C8552	Vacuum Breaker,3/8" NPT Inlet & Outlet, Atmospheric



↓
Download
Revit / CAD
files from
Website

WALL HOOK

Part #	Part Name
C9538	Wall Hook for Pot Filler & Utility Spray



AI147

Part #	Part Name
AI147	Food Safe Lubricant

WRIST HANDLE ACCESSORIES



Platinum
SERIES

—4 YEARS—
LIMITED WARRANTY

Part #	Part Name
C9532	Ceramic Cartridge With Lever Handle, Index, Screw - HOT
C9533	Ceramic Cartridge With Lever Handle, Index, Screw - COLD



C9532



C9533



Part #	Part Name
C9534	Ceramic Cartridge With Wrist Handle, Index, Screw - HOT
C9535	Ceramic Cartridge With Wrist Handle, Index, Screw - COLD



Platinum
SERIES

Part #	Part Name
C8154	Lever Handle With - COLD Index & Screw
C8155	Lever Handle With - HOT Index & Screw
C9502	Lever Handle Kit Set of HOT & COLD




C9502



C8154



C8155



C9537

C9536

C9531

Part #	Part Name
C9536	Wrist Handle With - COLD Index & Screw
C9537	Wrist Handle With - HOT Index & Screw
C9531	Wrist Handle Kit Set of HOT & COLD

PRE RINSE FAUCET ACCESSORIES



Part #	Part Name
C8160	Classic Cartridge With Lever Handle Index, Screw - COLD
C8159	Classic Cartridge With Lever Handle, Index, Screw - HOT



C8160



C8159



C8162-SET



C8161-SET



Part #	Part Name
C8161-SET	Quarter Turn Classic Cartridge HOT for Manual Faucet
C8162-SET	Quarter Turn Classic Cartridge COLD for Manual Faucet



Part #	Part Name
C8171	Spring Check Spindle Set of HOT & COLD



Set of **Hot** & **Cold**

C8171



C8158



C8157



Part #	Part Name
C8157	Quarter Turn Cartridge With Integral Spring Check, Lever Handle, Screw, Index - HOT
C8158	Quarter Turn Cartridge With Integral Spring Check, Lever Handle, Screw, Index - COLD



C9516



C9518



C9524



C9522

Part #	Part Name
C9516	Swivel Repair Kit
C9518	Repair Kit for Swivel Nozzle
C9522	Replacement Parts Kit for Classic Cartridge
C9524	Repair Kit for Spray Valve & Foot Pedal Valve



C9525



C9525-US



C8125x12

Part #	Part Name
C9525	Quarter Turn Classic Cartridge with Spring Check Parts Kit
C9525-US	Quarter Turn Classic Cartridge with Spring Check Parts Kit
C8125x12	White Washer for Eccentric Coupling Flange Assembly



C9504



C9505



C8139



C9503

Part #	Part Name
C9503	Economy Lever Handle Kit
C9504	Economy Lever Handle With - COLD Index & Screw
C9505	Economy Lever Handle With - HOT Index & Screw
C8139	Handle Screw

REPLACEMENT PARTS



Part #	Part Name
C9170	Ecoline Series Lever Handle Kit
C9171	Ecoline Series Ceramic Cartridge Assembly Replacements
C9172	Ecoline Series Swivel Spout Repair Kit
C8125x12	White Washer for Eccentric Coupling Flange Assembly



C8125x12



C9170

Ceramic Cartridge



C9171



C9172

REPLACEMENT PARTS



Part #	Part Name
C9180	Essential Series Lever Handle Kit
C9181	Essential Series Ceramic Cartridge Assembly Replacements
C9182	Essential Series Swivel Spout Repair Kit



C9180

Ceramic Cartridge



C9181



C9182

EACH SERIES HAS ITS OWN SIGNATURE SPOUTS

Platinum
SERIES

Ecoline
Series


Essential
Series



NOZZLES, GOOSENECKS & SPOUTS



C8179

Suitable for: **Platinum** SERIES 

Heavy Duty Platinum Spouts

Part #	Part Name
C8179	6" Swing Nozzle
C8180	8" Swing Nozzle
C8181	10" Swing Nozzle
C8182	18" Swing Nozzle
C8145	12" Swing Nozzle
C8217	14" Swing Nozzle



C8506

Suitable for: **Platinum** SERIES 

Cast Spout - Heavy Duty

Part #	Part Name
C8506	6"-Swivel Cast Spout
C8508	8"-Swivel Cast Spout



Suitable for: **Platinum** SERIES 

Swivel Gooseneck & Rigid Spout

Part #	Part Name
C8202	Swivel Gooseneck, 5-11/16" Spread, 10-3/8" Height, 6-3/8" Clearance
C8211	Swivel Gooseneck, 3-1/2" Spread, 7-1/2" Height
C8212	Swivel Gooseneck, 8-1/2" Spread, 12-1/16" Height
C8201	Rigid Gooseneck, 5-1/2" Spread, 10-1/4" Height 5-5/16" Clearance
C8073	3-3/4" Wide Rigid Gooseneck Spout
C8213	8-1/2" Wide Rigid Gooseneck Spout

Suitable for: **Platinum** SERIES

Double Joint Swing Nozzle



Part #	Part Name
C8206	12" Double Joint Swing Nozzle, (6" Back , 6" Front)
C8207	15" Double Joint Swing Nozzle, (9" Back , 6" Front)
C8208	18" Double Joint Swing Nozzle, (12" Back , 6" Front)
C8222	24" Double Joint Swing Nozzle, (12" Back , 12" Front)



C8206



C8141.02



C8141.03

Spout Adapter

Part #	Part Name
C8141.02	Adapter to Convert Rigid Pantry Faucet to Swivel Spout
C8141.03	Adapter to Convert Swivel Pantry Faucet to Rigid Spout

NOZZLES, GOOSENECKS & SPOUTS

Suitable for:



Standard Swing Nozzle

Part #	Part Name
C9805.51	8" Ecoline Swing Nozzle
C9174.06	10" Ecoline Swing Nozzle
C9556.51	12" Ecoline Swing Nozzle



C9805.51



C9175.52

Suitable for:



Rigid Gooseneck

Part #	Part Name
C9175.52	Swivel Gooseneck , 5-1/2" with Laminar Flow Aerator



C9192.50

C9198.51

Suitable for:



Standard Swing Nozzle

Part #	Part Name
C9192.50	6" Swing Nozzle
C9198.51	6" D Extended Swivel Spout
C9185.53	8" Swing Nozzle
C9194.50	10" Swing Nozzle
C9230.50	12" Swing Nozzle
C9228.50	14" Swing Nozzle



C9178.52

Suitable for:



Cast Spout

Part #	Part Name
C9178.52	3-1/2" Cast Spout



C9177.50

C9187.50

Suitable for:



Swivel Gooseneck

Part #	Part Name
C9177.50	3-1/2" Swivel Gooseneck
C9187.50	8-1/2" Swivel Gooseneck

SUPPLY INLETS



Part #	Part Name
C8112	Wall Faucet Mounting Kit with 1/2 npt Male x Female Ells
C8588	Kit for Wall monted Faucet-Short Elbow (1/2" NPT Female X Male)
C8580	Professional Choice Wall Mounting Kit



Part #	Part Name
C8121	1/2" NPT Female Eccentric Flange assembly with washer
C8122	3/4" NPT Female Eccentric Flange assembly with washer
C8123	3/8" NPT Female Eccentric Flange assembly with washer
C8125x12	White Washer for Eccentric Coupling Flange Assembly



C8121



C8230



Part #	Part Name
C8230	Ecoline 1/2" NPT Female Eccentric Flange Assembly With Washer

Part #	Part Name
C8118	Deck Faucet Mounting Kit - 1/2" NPS x 2" long Brass Nipples
C8243	Deck Faucet Mounting Kit - 1/2" NPS x 3-1/2" long Brass Nipples



C8118

FLEXIBLE HOSES & HOSE ASSEMBLIES

Water Line Kit

Soldering or Teflon Tape not Required.

Part #	Part Name
C8581	3/8" Wall Mount Faucet Water Line Kit-22" Length - 3/8" Compression
C8582	1/2" Water Line Kit For Wall Mount Faucet -18" Length
C8586	3/8" Straight Copper Water Line Kit – 14" Length
C8587	1/2" High Volume Wall Mount Faucet Water Line Kit-24" Length



C8582



C8586

Water Line Kit with Mounting Hardware

Soldering or Teflon Tape not Required.

Part #	Part Name
C8583x2	3/8" Wall Mount Faucet Water Line Kit-22" Length With mounting Hardware
C8584x2	3/8" Wall Mount Faucet Water Line Kit-24" Length With mounting Hardware
C8585x2	3/8" Wall Mount Faucet Water Line Kit-30" Length With mounting Hardware
C8601x2	Inlet Supply Nipple Kit with 24" Flexible Hoses - 3/8" Compression



C8601x2



C8584x2



C8583x2


GLASS FILLER STATION

Glass fillers & water stations are designed for bars, restaurants & commercial food service kitchens. A glass filler can easily fill cups with fresh drinking water by the simple push of a glass. Available for deck mount applications.

- ✓ Deck Mount Glass filler with 8" Pedestal height
- ✓ Push back glass filler with 8" clearance from tip to the pan
- ✓ Adjustable flange on the shank of the pedestal
- ✓ Reliable, consistent products with performance and value
- ✓ Fits your need and the quality that you can trust
- ✓ Rounded edges to support the sink within the countertop




GREAT FOR
COFFEE SHOPS



Part #	Part Name
C8861	Glass Filler Water Station

GLASS FILLER STATION


Part #	Part Name
C8861.51	Pedestal Type Glass Filler with self closing Arm
C8861.51-12	12" Pedestal Type Glass Filler with self closing Arm



C8861.51

C8861.51-12

Part #	Part Name
C768	Lavatory Grid Strainer- 6"
C769	Lavatory Grid Strainer- 8"



C768

Part #	Part Name
C4219x4	Surface Mount Clip Set for Kitchen Sinks
C4219x6	Surface Mount Clip Set for Kitchen Sinks
C4219x8	Surface Mount Clip Set for Kitchen Sinks



C4219x4

HOSE REEL FOR COMMERCIAL KITCHEN

—5 YEARS—

LIMITED WARRANTY

AUTO LOCK

Improves safety and
usability



C8124
SWIVEL
ADAPTER



EFFICIENT HOSE REEL—
AUTO REWIND & SWIVEL
ADAPTOR FOR SPRAY VALVE

SPRAY OPTION FOR HOSE REELS



SPRAY GUN

SG



C8251



SPRAY WAND

SW



C8687



SPRAY VALVE

SV



C8249



HOSE REEL FOR COMMERCIAL KITCHEN



Open Epoxy Coated Hose Reel


Part #	Part Name
C8269	Open Epoxy Coated Hose Reel 16mtr-Without Spray
C8269SW	Open Epoxy Coated Hose Reel 16mtr-With Spray Wand
C8269SV	Open Epoxy Coated Hose Reel 16mtr-With Spray Valve
C8269SG	Open Epoxy Coated Hose Reel 16mtr-With Spray Gun

Maximum Pressure : 300PSI

Hosepipe Length : 50' (15.24m)

Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS



C8269SW

or



C8269SV

or



C8269SG

Heavy Duty

— 5 YEARS —
LIMITED WARRANTY

Length of hose is available in **11m and 16m**

- Body Material - **Steel**
- Hose Material - **TPU Rubber**
- Spray Gun not included (**Purchase Separately**)

HOSE REEL

5 YEARS

LIMITED WARRANTY



Platinum
SERIES

+



C8290SW

or



C8290SV

or



C8290SG

Part #	Part Name
C8290	Stainless Steel Hose Reel- Closed-Without Spray
C8290SW	Stainless Steel Hose Reel- Closed- With Spray Wand
C8290SV	Stainless Steel Hose Reel- Closed- With Spray Valve
C8290SG	Stainless Steel Hose Reel- Closed- With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 35' (10.7m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS



Platinum
SERIES

+



C8289SW

or



C8289SV

or



C8289SG

Part #	Part Name
C8289	Stainless Steel Hose Reel- Open-Without Spray
C8289SW	Stainless Steel Hose Reel- Open- With Spray Wand
C8289SV	Stainless Steel Hose Reel- Open- With Spray Valve
C8289SG	Stainless Steel Hose Reel- Open- With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 50' (15.24m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS



Ecoline
Series

+



C8281SW

or



C8281SV

or



C8281SG

Part #	Part Name
C8281	Epoxy Coated Hose Reel- Open- Without Spray
C8281SW	Epoxy Coated Hose Reel- Open- With Spray Wand
C8281SV	Epoxy Coated Hose Reel- Open- With Spray Valve
C8281SG	Epoxy Coated Hose Reel- Open- With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 50' (15.24m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS



Ecoline
Series

+



C8292SW

or



C8292SV

or



C8292SG

Part #	Part Name
C8292	Epoxy Coated Hose Reel- Open- Without Spray
C8292SW	Epoxy Coated Hose Reel- Open- With Spray Wand
C8292SV	Epoxy Coated Hose Reel- Open- With Spray Valve
C8292SG	Epoxy Coated Hose Reel- Open- With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 35' (10.7m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS

HOSE REEL

5 YEARS
LIMITED WARRANTY



Open Epoxy Coated Hose Reel

Part #	Part Name
C8270	Open Epoxy Coated Hose Reel 11mtr-Without Spray
C8270SW	Open Epoxy Coated Hose Reel 11mtr-With Spray Wand
C8270SV	Open Epoxy Coated Hose Reel 11mtr-With Spray Valve
C8270SG	Open Epoxy Coated Hose Reel 11mtr-With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 35' (10.7m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS

**C8270SW**

or **C8270SV**


or **C8270SG**

The hose reel is lightweight that is compact enough to be used in applications where too much space is present. It can be mounted on the deck or the wall as per the space availability and the convenience.

- FEATURES :**
- ✓ Length of the hose is available in 11 m and 16 m ,**Heavy duty**
 - ✓ Ideal for food-service, commercial kitchens, restaurants, & hotel applications
 - ✓ Body material - **Steel**
 - ✓ Hose material - **TPU Rubber**
 - ✓ Spray gun not included (Purchase Separately)
 - ✓ Multipurpose use.
 - ✓ Body Material - Powder Coated Steel to Resist Corrosion.

Hose Reel Mounting Bracket

Part #	Part Name
C9269	Stainless Steel Hose Reel Swing Bracket - Wall Mount



Hose Reel Spray Valve Options

Part #	Part Name
C8251	Front Triger Water Gun
C8687	Hose Reel Extended Spray Valve with 3/8" NPT Female Inlet
C8249	Hi-Flow Spray Valve for Pre Rinse 4.50GPM

**C8251**

**C8687**

**C8249**

COMMERCIAL HOSE REEL SYSTEM

VACUUM BREAKER

The simple safeguard against backflow contamination.

HOSE LENGTH AND DIAMETER CHOICES:

3/8" or 1/2" hose with lengths ranging from 15' to 50'

DOUBLE WALL BRACKET:

Heavy-duty wall bracket built for durability & smooth hose reel operation

DURABLE HOSE:

Hose Reel made of great quality rubber for Heavy-duty use.

HOSE SWIVEL:

360-degree outlet rotation to minimize hose strain and improve user comfort.

CHOICE OF CARTRIDGE:

Classic cartridge or Ceramic cartridge

VARIETY OF BASE SYSTEMS:

Wall mount, deck mount

PROTECTED HOSE OUTLET:

Allows free movement and extends the life of the hose

ADJUSTABLE STOP:

Stops the hose from pulling all the way back into the reel and lets users set the hose length for easy use.

MOUNTING BRACKET OPTIONS:

Wall mount swing brackets, pivot brackets for ceiling or tabletop, or table leg bracket

STAINLESS STEEL OR EPOXY-COATED REEL

OPEN OR CLOSED REEL OPTIONS:

Open reels make it easy to clean the hose. Closed reels keep the hose covered and neat.

7 OUTLET DEVICE OPTIONS:

Spray valves, front or rear trigger water guns, or extended spray wand

BUILT TO LAST....



DOUBLE

WALL

BRACKETS

FOR

EXTRA

STRENGTH

VACUUM BREAKER

Included

Open Epoxy Coated Hose Reel System

Part #	Part Name
C8282	Epoxy Coated Hose Reel System- Open-Without Spray
C8282SW	Epoxy Coated Hose Reel System- Open-With Spray Wand
C8282SV	Epoxy Coated Hose Reel System- Open-With Spray Valve
C8282SG	Epoxy Coated Hose Reel System- Open-With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 50' (15.24m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

Deck Mount Faucet

SPRAY OPTIONS



or



or



C8282SW

C8282SV

C8282SG



Platinum
SERIES

DOUBLE
WALL
BRACKETS
FOR
EXTRA
STRENGTH
VACUUM BREAKER

Included

Enclosed Stainless Steel Hose Reel System

Part #	Part Name
C8293	Stainless Steel Hose Reel System- Enclosed-Without Spray
C8293SW	Stainless Steel Hose Reel System- Enclosed-With Spray Wand
C8293SV	Stainless Steel Hose Reel System- Enclosed-With Spray Valve
C8293SG	Stainless Steel Hose Reel System- Enclosed-With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 35' (10.7m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

Wall Mount Faucet

SPRAY OPTIONS



C8293SW

or



C8293SV

or



C8293SG

HOSE REEL SYSTEM

5 YEARS
LIMITED WARRANTY



DOUBLE
WALL
BRACKETS
FOR
EXTRA
STRENGTH
VACUUM BREAKER

Included



Wall Mount Faucet

Open Epoxy Coated Hose Reel System

Part #	Part Name
C9293	Epoxy Coated Hose Reel System- Open -Without Spray
C9293SW	Epoxy Coated Hose Reel System- Open -With Spray Wand
C9293SV	Epoxy Coated Hose Reel System- Open - With Spray Valve
C9293SG	Epoxy Coated Hose Reel System- Open - With Spray Gun

Maximum Pressure : 300PSI
Hosepipe Length : 35' (10.7m)
Inner Diameter of Hosepipe : 3/8" (9.2mm)

SPRAY OPTIONS



C9293SW

or



C9293SV

or



C9293SG


WASTE DRAIN VALVE



WASTE DRAIN VALVE



Twist Handle Waste Valve Drain



Lever Handle Waste Valve Drain



Ball Waste Valve Drain

**ALL SS304
INTERNAL
PARTS**

WASTE DRAIN VALVE

The Strainer plate obstructs large food particles from entering the water pipe and the waste water flow can be controlled by rotating the twist handle. They also come with overflow tube and head option.



STANDARD 3" WASTE DRAIN VALVE - TWIST HANDLE



C8090

3" Sink Opening Waste Drain With Twist Handle, NPT Adapter & Overflow Option

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" NPT	1-1/2" NPT

Stainless Steel strainer and handle



C8087


3" Sink Opening Waste Drain With Twist Handle, NPT Adapter & Overflow Assembly

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" NPT	1-1/2" NPT

Stainless Steel strainer and handle


WASTE DRAIN VALVE

3" Waste Drain Valve Accessories



Part #	Part Name
C8091	Overflow Assembly
C8103	Adapter for waste drain 2" x 1-1/2"
C8245	Adapter for waste drain 1-1/4" NPT Outlet Connection


3" Waste Drain Valve Repair Kit




Part #	Part Name
C9501	Twist Lever Waste Drain Repair Kit 3"

WASTE DRAIN VALVE

STANDARD 3-1/2" WASTE DRAIN VALVE - TWIST HANDLE



Part #	Part Name
C8089	3-1/2" Sink Opening Waste Drain With Twist Handle,NPT Adapter & Overflow Assembly
C8102	3-1/2" Sink Opening Waste Drain Twist Handle, NPT Adapter, Overflow Option
C8102.50	3-1/2" Waste Drain with Twist handle, Overflow Option & without Adapter
C8102-7.5	3-1/2" Sink Opening Waste Drain With Short (7.5")Twist Handle, NPT Adapter, Overflow Option



C8301 **Ecoline** Series


3-1/2" Sink Opening Waste Drain Valve With Twist Handle

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" x 11.5 NPT	1-1/2" NPT

Stainless Steel strainer and handle



WASTE DRAIN VALVE



BALL WASTE DRAIN VALVE



SOLID BRASS BODY

STANDARD 3-1/2" BALL WASTE DRAIN VALVE - TWIST HANDLE

C8481

3-1/2" BALL Waste Drain Valve With Flat Strainer

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" NPT	1-1/2" NPT

Stainless Steel strainer and handle




C8482

3-1/2" BALL Waste Drain Valve With Basket Strainer

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" NPT	1-1/2" NPT

Stainless Steel strainer and handle



C9481

3-1/2" BALL Waste Drain Valve With Flat Strainer & Overflow Option

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" NPT	1-1/2" NPT

Stainless Steel strainer and handle



3-1/2" WASTE VALVE

STANDARD 3-1/2" WASTE DRAIN VALVE - LEVER HANDLE




C8260
3-1/2" Sink Opening Waste Valve With Lever Handle

Finish	Body Material	Male Thread	Female Thread
Chrome Plated	Brass	2" x 11.5 NPT	1-1/2" NPT


Stainless Steel strainer and handle

3-1/2" Waste Drain Valve Repair Kit



Part #	Part Name
C9601	Twist Lever Waste Drain Repair Kit for 3 1/2"

WASTE DRAIN VALVE INSTALLATION TOOL




C8263


Simply insert the drain tool into your twist or lever waste drains to tighten or Loosen them without hassle.



WASTE DRAIN VALVE REPLACEMENT PARTS



C8088



C8092



C8094



C8095



C8101



C8098



C8102.02



C8099

Part #	Part Name
C8088	Replacement Overflow Head
C8092	Overflow Elbow Tube
C8094	Replacement Face Flange for 3" Waste Drain
C8100	Face Flange for 3-1/2" Waste Drains
C8095	Replacement Face Strainer for 3" Waste Drains
C8101	Face Strainer for 3-1/2" Waste Drains
C8099	Replacement Stopper with O-Ring for Waste Drains
C8098	Twist Handle Assembly
C8102.02	Waste Valve Drain Overflow Sealing Cap

Part #	Part Name
C8348	Continuous Waste, for 2 or 3-compartment, sinks

- » Call for Price.
- » Custom Length Available.



C8348

DRAIN & CLEANOUT



Dome Strainer

Part #	Part Name
C8965	Aluminum Dome Strainer for 12" Floor Sink 5-1/2" Diameter

SINK DRAINS

STAINLESS STEEL

Overflow Tubes and Pipes

Part #	Part Name
C8388	7. 1/2" Bar Sink Overflow Pipe
C8399	10" Bar Sink Overflow Pipe



Part #	Part Name
C662.04	1-1/2" Full Flange Stainless steel Drain
C8034.01	Face Strainer for SS Sink Strainer



CAST DRAINS

Part #	Part Name
C8621	1" Drain – 1.5" Long
C8620	1/2" Drain – 1.5" Long



PLASTIC

Overflow Tubes and Pipes

Part #	Part Name
C8043	7" Bar Sink Overflow Pipe
C8048	11" Bar Sink Overflow Pipe



TUBULAR SLANT SHELVES






18GA
1.2mm



Tubular Slant shelves

Part #	Part Name
C8271	Tubular Slant Shelf 24"
C8272	Tubular Slant Shelf 36"
C8273	Tubular Slant Shelf 48"
C8274	Tubular Slant Shelf 60"

- ✓ High Grade Stainless Steel Body
- ✓ Heavy Duty & Durable
- ✓ All Edges are finished Providing Safety, Burr-Free
- ✓ Installation is Simple & Quick



WALL SHELVES

Stainless Steel
Wall Mount
Shelving

18GA
1.2mm

Great
Pricing



6" Width		Ecoline Series
Part #	L x W x H	
C9306	18" x 6" x 5"	
C9306-24	24" x 6" x 5"	
C9306-30	30" x 6" x 5"	
C9306-36	36" x 6" x 5"	
C9306-48	48" x 6" x 5"	

8" Width		Ecoline Series
Part #	L x W x H	
C9308	18" x 8" x 5"	
C9308-24	24" x 8" x 5"	
C9308-30	30" x 8" x 5"	
C9308-36	36" x 8" x 5"	
C9308-48	48" x 8" x 5"	

12" Width		Platinum Series
Part #	L x W x H	
C9224	18" x 12" x 5"	
C9224-24	24" x 12" x 5"	
C9224-30	30" x 12" x 5"	
C9224-36	36" x 12" x 5"	
C9224-48	48" x 12" x 5"	
C9224-60	60" x 12" x 5"	
C9224-72	72" x 12" x 5"	
C9224-84	84" x 12" x 5"	
C9224-96	96" x 12" x 5"	



Anti Corrosion



Water Proof



Oil Proof


Platinum
SERIES

Stainless Steel 304
Grade

Ecoline
Series

Stainless Steel 430
Grade

- ✓ Real 18 Gauge Stainless Steel
- ✓ Brushed Finish
- ✓ Includes 2 support brackets
- ✓ Makes the most of unused wall space
- ✓ Appropriate for every commercial kitchen
- ✓ Shipped Knock Down
- ✓ Mounting Fasteners Included



Platinum
SERIES


COMMERCIAL WORK TABLE

Stainless Steel 304 Grade

₹₹₹



100% Anti Corrosion
with 10 Year Warranty



Scan QR for
Installation Video

Stainless Steel **304** Grade.

100% Stainless Steel.

Brushed Hairline Finish.


Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Simple Assembly Required.

Round Legs for Easy Cleaning.



24"

Wide Work Tables

Part #	L x H	No. of Legs
C9124	24" x 34"	4
C9124-30	30" x 34"	4
C9124-36	36" x 34"	4
C9124-48	48" x 34"	4
C9124-60	60" x 34"	4
C9124-72	72" x 34"	4
C9124-84	84" x 34"	6
C9124-96	96" x 34"	6

30"

Wide Work Tables


Part #	L x H	No. of Legs
C9130	24" x 34"	4
C9130-30	30" x 34"	4
C9130-36	36" x 34"	4
C9130-48	48" x 34"	4
C9130-60	60" x 34"	4
C9130-72	72" x 34"	4
C9130-84	84" x 34"	6
C9130-96	96" x 34"	6

Ecoline
Series

COMMERCIAL WORK TABLE

Stainless Steel 430 Grade

₹₹₹


100% Anti Corrosion
with 10 Year Warranty

Scan QR for
Installation Video

Stainless Steel **430** Grade.

Brushed Hairline Finish.

With Galvanized Steel Legs.

Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Simple Assembly Required.

Round Legs for Easy Cleaning.



24"

Wide Work Tables

Part #	L x H	No. of Legs
C9124-EL	24" x 34"	4
C9124-30-EL	30" x 34"	4
C9124-36-EL	36" x 34"	4
C9124-48-EL	48" x 34"	4
C9124-60-EL	60" x 34"	4
C9124-72-EL	72" x 34"	4
C9124-84-EL	84" x 34"	6
C9124-96-EL	96" x 34"	6

30"

Wide Work Tables

Part #	L x H	No. of Legs
C9130-EL	24" x 34"	4
C9130-30-EL	30" x 34"	4
C9130-36-EL	36" x 34"	4
C9130-48-EL	48" x 34"	4
C9130-60-EL	60" x 34"	4
C9130-72-EL	72" x 34"	4
C9130-84-EL	84" x 34"	6
C9130-96-EL	96" x 34"	6

COMMERCIAL WORK TABLE

WITH BACK SPLASH


Stainless Steel 304 Grade




100% Anti Corrosion
with 10 Year Warranty



Platinum
SERIES



4" Back Splash Height
Avoid Falling Things



Ships knock down & easy to assemble

Stainless Steel **304** Grade.

100% Stainless Steel.

Brushed Hairline Finish.

Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Simple Assembly Required.

Round Legs for Easy Cleaning.



24" Wide Work Tables

Part #	L x H	No. of Legs
C9125	24" x 38"	4
C9125-30	30" x 38"	4
C9125-36	36" x 38"	4
C9125-48	48" x 38"	4
C9125-60	60" x 38"	4
C9125-72	72" x 38"	6
C9125-84	84" x 38"	6
C9125-96	96" x 38"	6

30" Wide Work Tables

Part #	L x H	No. of Legs
C9131	24" x 38"	4
C9131-30	30" x 38"	4
C9131-36	36" x 38"	4
C9131-48	48" x 38"	4
C9131-60	60" x 38"	4
C9131-72	72" x 38"	4
C9131-84	84" x 38"	6
C9131-96	96" x 38"	6

Platinum
SERIES

COMMERCIAL WORK TABLE


With Undershef

Stainless Steel 304 Grade

₹₹₹



100% Anti Corrosion
with 10 Year Warranty



Scan QR for
Installation Video

With Undershef

Stainless Steel **304** Grade.

100% Stainless Steel.

Brushed Hairline Finish.

Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Adjustable Undershef Height.

Simple Assembly Required.

Round Legs for Easy Cleaning.



24"

Wide Work Tables

Part #	L x H	No. of Legs
C9124-U-24	24" x 34"	4
C9124-U-30	30" x 34"	4
C9124-U-36	36" x 34"	4
C9124-U-48	48" x 34"	4
C9124-U-60	60" x 34"	4
C9124-U-72	72" x 34"	4

30"

Wide Work Tables

Part #	L x H	No. of Legs
C9130-U-24	24" x 34"	4
C9130-U-30	30" x 34"	4
C9130-U-36	36" x 34"	4
C9130-U-48	48" x 34"	4
C9130-U-60	60" x 34"	4
C9130-U-72	72" x 34"	4


Ecoline
Series

COMMERCIAL WORK TABLE

With Undershef

Stainless Steel 430 Grade

₹₹₹


100% Anti Corrosion
with 10 Year Warranty

Scan QR for
Installation Video

24" Wide Work Tables

Part #	L x H	No. of Legs
C9124-U-24-EL	24" x 34"	4
C9124-U-30-EL	30" x 34"	4
C9124-U-36-EL	36" x 34"	4
C9124-U-48-EL	48" x 34"	4
C9124-U-60-EL	60" x 34"	4
C9124-U-72-EL	72" x 34"	4



With Undershef

Stainless Steel **430** Grade.

100% Stainless Steel.

Brushed Hairline Finish.

Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Adjustable Undershef Height.

Simple Assembly Required.

Round Legs for Easy Cleaning.



30" Wide Work Tables


Part #	L x H	No. of Legs
C9130-U-24-EL	24" x 34"	4
C9130-U-30-EL	30" x 34"	4
C9130-U-36-EL	36" x 34"	4
C9130-U-48-EL	48" x 34"	4
C9130-U-60-EL	60" x 34"	4
C9130-U-72-EL	72" x 34"	4

COMMERCIAL WORK TABLE

WITH BACK SPLASH & UNDERSHELF



100% Anti Corrosion
with 10 Year Warranty



4" Back Splash Height Avoid Falling Things



Platinum
SERIES

Ships knock down & easy to assemble

Stainless Steel **304** Grade.

100% Stainless Steel.

Brushed Hairline Finish.


Modern Brushed Stainless Steel.

Available in 24" and 30" wide.

Sheet thickness 1.2mm.

Simple Assembly Required.

Round Legs for Easy Cleaning.



24" Wide Work Tables

Part #	L x H	No. of Legs
C9125-U	24" x 38"	4
C9125-U-30	30" x 38"	4
C9125-U-36	36" x 38"	4
C9125-U-48	48" x 38"	4
C9125-U-60	60" x 38"	4
C9125-U-72	72" x 38"	6

30" Wide Work Tables

Part #	L x H	No. of Legs
C9131-U	24" x 38"	4
C9131-U-30	30" x 38"	4
C9131-U-36	36" x 38"	4
C9131-U-48	48" x 38"	4
C9131-U-60	60" x 38"	4
C9131-U-72	72" x 38"	4

ADDITIONAL UNDERSHELF

Stainless Steel 304 Grade




100% Anti Corrosion
with 10 Year Warranty



Platinum
SERIES



Additional
Undershelf



Stainless Steel **304** Grade.
100% Stainless Steel.
Brushed Hairline Finish.
Modern Brushed Stainless Steel.
Available in 24" and 30" wide.
Sheet thickness 1.2mm.
Adjustable Undershelf Height.
Simple Assembly Required.



Scan QR for
Installation Video



24" Wide Undershelf

Part #	L x W
C9124.01x1	24" x 24"
C9124.01-30x1	30" x 24"
C9124.01-36x1	36" x 24"
C9124.01-48x1	48" x 24"
C9124.01-60x1	60" x 24"
C9124.01-72x1	72" x 24"


30" Wide Undershelf

Part #	L x W
C9130.01x1	24" x 30"
C9130.01-30x1	30" x 30"
C9130.01-36x1	36" x 30"
C9130.01-48x1	48" x 30"
C9130.01-60x1	60" x 30"
C9130.01-72x1	72" x 30"

RUBBER BUMPERS



**DESIGNED FOR SCRAPING TABLES -
REDUCE NOISE & PROTECT PLATES**



C9141



C9142

Part #	Part Name
C9141	Black Rubber Bumper Scrap Block
C9142	Grey Rubber Bumper Scrap Block with spoon catcher

EYE WASHER



Part #	Part Name
C1870	Wall Mounted Eye Washer
C1870WS	Eye Washer With Stand

DIPPER WELL

Sink & Faucet



For Ice Cream Scoops
& Kitchen Utensils



Part #	Part Name
C8953	Dipper Well Faucet with Bowl and Drain Assembly



Part #	Part Name
C8953.50	Dipper Well Faucet



Part #	Part Name
C8952	Dipper Well Bowl



GLASS RINSER

Part #	Part Name
C4061	Drop-in Glass Rinser



Part #	Part Name
C360	11-3/8" x 6-3/8" Glass Rinser Drip Tray -Brushed Stainless – With Drain

Part #	Part Name
C360.50x1	Glass Rinser Spray Assembly – Replacement



Part #	Part Name
C4051	3-3/4" Glass Rinser Subassembly for Drip Tray

GRAB BARS



Grab Bars 1-1/2" - Peened Grip



- Peened surface makes hand grip strong even with wet hands.
- It helps to mitigate slips and falls.
- Secure Mount design allows for easy, secure installation at any angle.
- 1-1/2 inches diameter pipe.
- Weight capacity of up to 420 lbs / 190.5 kg
- Complies with ADA specifications.
- Peened Surface makes hand grip Strong even in Wet Hand.
- very good build Quality of 304-grade Stainless Steel with Vibrant Stainless.

Part #	Part Name
C9101	9" Peened Grab Bars 1-1/2" with Concealed Screws
C9102	12" Peened Grab Bars 1-1/2" with Concealed Screws
C9103	18" Peened Grab Bars 1-1/2" with Concealed Screws
C9104	24" Peened Grab Bars 1-1/2" with Concealed Screws
C9105	36" Peened Grab Bars 1-1/2" with Concealed Screws
C9106	48" Peened Grab Bars 1-1/2" with Concealed Screws

TERMS & CONDITIONS

Purchaser understands and agrees that this document sets forth the terms and conditions ("Terms and Conditions") pursuant to which the purchaser ("Purchaser") will purchase and Kromeusainc. ("Seller") will sell the products, accessories and attachments (collectively the "Products") ordered by Purchaser. These Terms and Conditions shall govern and apply to the sale of Seller's Products to Purchaser, regardless of any terms and conditions appearing on any purchase order or other forms submitted by Purchaser to Seller or the inconsistency of any terms therein and herein. In the interest of clarity, it is reiterated that the Purchaser shall be deemed to have made an unqualified acceptance of Terms and Conditions unless the Seller expressly agrees in writing to any of the terms of the Purchaser. Such proposal of additional, different or varying terms by Purchaser shall not operate as a rejection of the Seller's offer except to the extent such variances are in the terms of the description, quantity, price or place or date of delivery of the Products, and the Seller's offer shall be deemed accepted without such additional, different or varying terms.

1. PRICES: All previous prices are currently withdrawn.

2. ACCEPTANCE: If the terms and conditions herein (the "Terms and Conditions") differ in any way from the terms and conditions of Buyer's order, or if these Terms and Conditions are construed as an acceptance or confirmation acting as an acceptance, then the Seller's acceptance is EXPRESSLY CONDITIONED ON BUYER'S ACCEPTANCE OF AND AGREEMENT TO ANY TERMS AND CONDITIONS SET FORTH HEREIN, THAT ARE DIFFERENT FROM OR ADDITIONAL TO THOSE IN BUYER'S ORDER. In addition, this writing shall constitute notice of objection to any terms and conditions in Buyer's order that differ from, or are in addition to, the Terms and Conditions herein. If the Terms and Conditions herein are construed as an offer, acceptance of such offer is EXPRESSLY LIMITED TO THE TERMS AND CONDITIONS SET FORTH HEREIN. In any event, Buyer's acceptance of goods from Seller shall constitute Buyer's acceptance of and agreement to the Terms and Conditions. These Terms and Conditions shall not be supplemented or modified except as agreed to in writing and signed by Seller.

3. GENERAL: • Seller reserves the right at all times to reject any and all orders for any reason. • For Orders other than standard items or standard lengths, cancellation of the same shall not be entertained if Purchaser fails to notify the Seller to the contrary within 2 days after the receipt of the order. Purchaser may not alter or modify its order or any part thereof without the Seller's prior, written consent. • Purchaser must seek a prior written permission from the Seller before listing the Products on any of the marketplace whether online or brick mortar, and undertake to abide by the laws and regulation of the states where the Purchasers intend to sell the Products, and further if the Purchaser commingle Seller's Products with competitors' products, must ensure to rightly attribute the Products of the Seller. • The Seller reserves the right to change the price, terms of payment and delivery dates for any Products affected by any alterations or modification to which it consents. Orders or mutually agreed change orders are subject to all provisions of these Terms and Conditions whether or not the order or change order so states.

4. PRICE: • Except as otherwise provided otherwise, all prices set forth on any purchase order or other document are F.O.B. the Sellers' facility or distribution point, as may be determined by Seller ("F.O.B Point"). All prices are exclusive of any and all taxes, including, but not limited to, excise, sales, use, property or transportation taxes related to the sale or use of the Products, now or hereafter imposed, together with all penalties and expenses. Purchaser shall be responsible for collecting and/or paying any and all such taxes, whether or not they are stated in any invoice for the Products. Unless otherwise specified herein, all prices are exclusive of inland transportation, freight, insurance and other costs and expenses relating to the shipment of the Products from the F.O.B Point to Purchaser's facility. Any prepayment by Seller of freight insurance and other costs shall be for the account of Purchaser and shall be repaid to Seller

5. PAYMENT TERMS: • Seller reserves the right to alter payment terms. • Seller reserves the right to hold shipments against the past due payments. • Payment of invoices will be due 30 days after shipment of Products. All payments must be received within 30 days failing which a service charge at the lesser of 1.5% per month (18% per annum) or the highest rate permitted by applicable law will be added to all past due invoices from the due date until paid.. Purchaser agrees to reimburse the Seller for all costs and fees incurred by the Seller in collecting any sums owed by Purchaser to the Seller including, without limitation, attorneys' fees and repossession fees. Purchaser shall not set off any claims against amounts due to the Seller. Prices are stated and payable in U.S. dollars.

6. FREIGHT TERMS: • All shipments are F.O.B Point of shipment as designated in these Terms & Conditions, and title shall pass at the F.O.B. Point. Delivery to the initial common carrier shall constitute delivery to the Purchaser. Any claims for loss or damage during shipment are to be filed with carrier by the Purchaser. Seller will not

assume responsibility for the performance of the carrier, even if the Seller agrees to arrange for transportation as a courtesy to Purchaser. • • Orders with different numbers and dates shall be considered a separate and independent transaction. • Backorders will be shipped in the most practical fashion with charges consistent with our freight policy established with the original order.

7. UPS SHIPMENTS: • A handling charge, in accordance with current UPS regulations, will apply to any article that is not fully encased in an outside shipping container. Minimum charge for a package measuring over 84- inches in length and girth combined will be equal to the charge of a package weighting 30 lbs. plus the handling charge. This applies to all UPS air and surface transportation.

8. DELIVERY, DAMAGES, SHORTAGES: • Seller shall use reasonable efforts to attempt to cause the Products to be delivered as provided for in these Terms & Conditions. Delivery to the initial common carrier shall constitute the delivery to the Purchaser. Seller's responsibility, insofar as transportation risks are concerned ceases upon the delivery of the Products in good condition to such carrier at the F.O.B. Point and all the Products shall be shipped at the purchaser's risk. Seller shall not be responsible or liable for any loss or damage whatsoever, including loss of income and/or profits, or incidental, special, consequential damages resulting from Seller's delayed performance in shipment and delivery.

9. RETURN OF DEFECTIVE PRODUCTS: • Defective or failed material shall be held at the Purchaser's premises until a prior written return material approval ("RMA") has been granted by Seller to return or dispose of Products. Products that are to be returned for final inspection must be returned Freight Prepaid in the most economical way. Credit will be issued for the material found to be defective upon Seller's inspection based on the prices prevailing at the time of purchase.

10. PRODUCTS ORDERED IN ERROR: • Standard package Products only may be returned, provided that claim is made and Seller is notified within 7 days of receipt of Products, and the Products are in the original Purchaser's possession not more than 30 days prior to return, subject to Seller's approval. If Products are accepted for return, they must be Freight Prepaid, and Purchaser will be charged a minimum of 15% re handling charge, plus a charge back for outbound freight charges if the original order was shipped prepaid. Returns are not accepted for any Products that are specially manufactured to meet the Purchaser's requirement of either specifications or large quantities.

11. PRODUCTS SHIPPED IN ERROR: • Purchaser must notify within 7 days of receipt of Products any Products shipped in error. Upon notification, Products are to be returned to Seller either via truck on a Freight Collect basis or via UPS on a Freight Prepaid basis. The purchaser will be reimbursed for costs of Products, plus any additional freight which may have been incurred due to shipping error.

12. SECURITY INTEREST: • Purchaser hereby grants to Seller and Seller hereby retains a continuing purchase money security interest in the Products sold and delivered by Seller to Purchaser, whether presently in the possession of Purchaser or hereafter acquired, and all spare parts and components therefore, together with any and all proceeds of sale or other disposition of the Products, including but not limited to, cash, accounts, contract rights, and chattel paper. Purchaser shall keep the Products free from any adverse lien, security interest or encumbrance and will not store the Products or any part thereof or use the Products in violation of any statute or ordinance. In the even Purchaser shall be in default under these terms and conditions. Seller shall have the remedies of a secured party under the Uniform Commercial Code in force in the state where the Products are located. Purchaser is hereby made aware that a copy of these Terms and Conditions may be filed as a financing statement with appropriate authorities at any time to perfect the Seller's security interest, or in the alternative, Purchaser hereby agrees to execute the appropriate UCC forms upon request of the Seller to perfect the Seller's purchase money security interest.

13. CAUTIONARY STATEMENT: • All Products are in the nature of commodities and they are sold by published specifications and not for particular purposes, uses or applications. Purchaser shall first determine their suitability for the intended purposes, uses or applications and shall either conducts its own engineering studies or tests, or retain qualified engineers, consultants or testing laboratories and consult with them before determining the proper use, suitability or propriety of the merchandise or Products for the intended purposes, uses or applications Seller does not recommend the merchandise or Products for any particular purpose, use or application, and the Purchaser or user thereof shall assume full responsibility for the suitability, propriety, use and application of the merchandise or Products.. Purchaser shall follow all instructions contained in Seller's catalogs, brochures, technical bulletins and other documents regarding the product. The merchandise or Products, including but not limited to, hose, tubing, or couplings, may fail due to the use or conveyance of substances at elevated or lowered temperatures or at excessive