


BEER

DISPENSING SYSTEM


Available from 1 tap to 'N' Number of taps



JUST ANSWER 5 QUESTIONS

and we will take care of everything else.

- 1 Which Tower Style ?
- 2 Which Finish of Tower do you Need?
- 3 How many beers on tap ?
- 4 What is the distance from Beer Tanks / Kegs to Dispensing Point
- 5 How much beer do you expect to sell per hour ?



Consult us for your next
Beer System Installation Project

Beer Towers


MODELS OVERVIEW



SNAKE
BEER TOWER



ECONOMY 3"
ELBOW TOWER



3\"/>



3\"/>




EPIC TOWER



INSPIRE TOWER



Wall Mount
TOWER




SS Brushed




SS Polished



Brushed Copper



krome
dispense




BREW X SERIES


SS Brushed



SS Polished



SS Polished



NEW ARRIVAL

ALL NEW MATT BLACK FINISH

BOLDER LOOK WITH 4" DIAMETER PIPE DESIGN



WING STYLE BRIDGE TOWERS

Inlet Connection : 8 x 7mm SS 304 Tube



Part #	Product Name	No. of Taps	Finish
C1596	Wing Style Bridge Tower with Flow Control Taps and Illumination	6	Matt Black
C1597	Wing Style Bridge Tower with Flow Control Taps and Illumination	8	Matt Black
C1598	Wing Style Bridge Tower with Flow Control Taps and Illumination	10	Matt Black

Amaze Your Customers with Smooth & Creamy

NITRO INFUSED COCKTAILS

Make any
NITRO DRINK
on tap



C3026



NITROGEN
CARTRIDGE

STAINLESS
STEEL 304

EASY TO
CARRY

PREMIUM
FAUCET

2 / 3.6
Liters

C2323
Nitrogen Cartridge - 12g





Buy Separately



C2206



Separate
2Liter Mini Keg



DRAFT BEER SYSTEM



C7992



Individual
pressure
regulation for
every keg/type
of beer.



Clamp Optional

Draft Beer System Kits

Model No.	C7991	C7992	C7992-HP	C7993	C7994	C7996
Beer Cooler	80L/hr	80L/hr	110L/hr	80L/hr	110L/hr	110L/hr
No. of Taps	1	2	2	3	4	6
Coupler	Included	Included	Included	Included	Included	Included
Installation Kit	C2025-ECO	C2026-ECO	C2026-ECO	C2028-ECO	C2027-ECO	C2035-ECO
Drip Tray	Included	Included	Included	Included	Included	Included

*For customized tower please contact local Krome sales representative.

*HP- High Performance / Ask for optional high performance models or visit our website.



Eco-Friendly Gas



INDIA'S LARGEST

Manufacturer
OF BEER COOLERS
& Exporting to
25+ Countries



Ltrs/hr	40	80	110	115	135	160	195
Compressor Power	1/6 HP	1/4 HP	3/8 HP	1/3 HP	1/2 HP	3/4 HP	3/4 HP
Refrigerant	R-134a	R-134a	R-134a	R-290	R-290	R-290	R-134a
Ice Bank	4-8 Kg	5-10 Kg	10-20 Kg	10-20 Kg	20-25 Kg	10-30 Kg	35 Kg
Water Tank Capacity	14 Ltrs	20 Ltrs	38 Ltrs	36 Ltrs	50 Ltrs	58 Ltrs	65 Ltrs
Coils	2	2 - 3 - 4	2 - 4 - 6 - 8	2 - 3 - 4	2 - 4 - 6 - 8	4 - 6 - 8	10
Coil Dia	7x8 mm	7x8 mm	7x8 mm	7x8 mm	7x8 mm	7x8 mm	7x8 mm

Over Counter Beer Coolers



C2060



C2057



C2373

Ltrs/hr	40	45	50	60	70	155
Compressor Power	1/5 HP	1/8HP	1/5 HP	1/5 HP	1/3 HP	3/4 HP
Refrigerant	R-134a	R-134a	R-134a	R-134a	R-134a	R-290
Amperage	1.40A	1.50A	1.40A	1.90A	2.60A	3.80A
Power Input	322W	345W	322W	437W	598W	874W
Coils	1 - 2	1	2	2	1 - 2	2
Coil Dia	7x8 mm	7x8 mm	7x8 mm	7x8 mm	7x8 mm	7x8 mm

COMMERCIAL KEGERATOR SERIES



S Series



M Series



L Series



	S Series	M Series	L Series
Model No.	C2071- 1 Tap C2072- 1 Tap C2007- 1 Tap C2077- 1 Tap C2075- 2 Tap C2008- 2 Tap C2071-WT	C2400- 4Tap C2330- 3Tap C2403- 2Tap C2404- 1Tap C2400-WT	C2402- 6Tap C2692- 2Tap C2693- 3Tap C2402-WT
20 liter Kegs	2	4	6
50 liter Kegs	1	1	2
Doors	1	1	2
Weight (kg)		60	115
Exterior Dimensions (LxBxH)	24-1/2"X24"X47"	23-1/2" x 30-3/4" x 39-3/4"	58-7/8" x 27-3/4" x 36-1/4"
Interior Dimensions (LxBxH)		19-1/2" x 18-1/8" x 28-5/8"	46-1/4" x 22-1/2" x 30-1/2"
Power Supply	230 V/50 HZ	230 V/50 HZ	230 V/50 HZ
Temperature Range	0°C - 4°C	0°C - 4°C	0°C - 4°C
Refrigerant	R134-a	R290	R134-a, R290
Co2 Cylinder	3 liter	3 liter	3 liter
Certification			CE
50ltr Keg Ø 16"			
20ltr Keg Ø 9"			

Features



Secure & Safe



Self Closing Doors



Eco Friendly Refrigeration



Recessed Drip Tray



4" Locking Casters



Digital Display

Accessories

C2325
Optional 3L Co2
Cylinder - Aluminum



C900
Beer Line Cleaner
And Sanitizer With
Active Chlorine



C901
Beer Line Cleaner
And Sanitizer With
Active Oxygen



	XL Series	XXL Series
Model No.	C2703- 3Tap C2706- 6Tap C2712- 12Tap C2412-WT	C2704- 4Tap C2708- 8Tap C2716- 16Tap C2413-WT
20 liter Kegs	12	16
50 liter Kegs	3	4
Doors	3	3
Weight (kg)	150	165
Exterior Dimensions (LxBxH)	72-3/4" x 24-3/8" x 36-1/4"	90-3/8" x 27-3/4" x 36-1/4"
Interior Dimensions (LxBxH)	60-1/8" x 18-1/2" x 30-1/2"	77-3/4" x 22-1/2" x 30-1/2"
Power Supply	230 V/50 HZ	230 V/50 HZ
Temperature Range	0°C - 4°C	0°C - 4°C
Refrigerant	R290	R290
Co2 Cylinder		
Certification	CE	CE
50ltr Keg Ø 16" 		
20ltr Keg Ø 9" 		

Soda Dispenser




C2254

Soda Elegance Basic 45

45 L/hr	1/5 HP Output	2 Coils	230V/ 50HZ
R-290 Gas	2x8.0m Coil Length	4-8 Kg Ice Bank	SS Taps



Soda Elegance Basic 45 is professional devices designed for producing chilled soda water by mixing H₂O and Co₂.



Built-In Wine Cooler



**2 Years
Warranty**

- Slim, built-in design takes up minimal space.
- Preserve wine flavor with precision temperature control (5°- 18°C).
- Protect wine from harmful UV Rays with double pane glass.
- Options available in Glass & Stainless Steel Door.



C2216.SS



C2216



C2217



C2225



C2240



C2228

Part No.	C2216	C2216.SS	C2217	C2225	C2228	C2240
(WxHxD) mm	148x868x480	148x868x480	445x495x455	440x670x470	380x855x585	595x820x575
No. of Bottles	7	7	17	25	28	46
No. of Shelves	6	6	3	4	6	6
Temperature Range	5°-18°C	5°-18°C	6°-14°C	6°-14°C	Upper 5°-13°C Lower 13°-18°C	Upper 5°-13°C Lower 13°-18°C
Net Capacity	18 Liter	18 Liter	52 Liter	72 Liter	80 Liter	138 Liter

For Technical Specifications Please Visit Our Website www.kromedispense.com



Wine By Glass



Part No.	C2214
((WxHxD) mm	641x265x636
No. of Bottles	4
Temperature Range	5°-20°C
Capacity	4 bottles

For Technical Specifications, Please Visit Our Website
www.kromedispense.com

- Suitable for both red and white wines.
- Low-noise, high-performance compressor cooling system.
- Preserve wine flavor with precision temperature control (5°- 20°C).
- Protect wine from harmful UV Rays with double pane glass.
- LCD display for precise pouring and real-time volume tracking.
- Operates efficiently in ambient temperatures from 16°C to 38°C.



Back Bar Coolers



Krome
dispense



100% Eco
Friendly Gas


PROFESSIONAL

Manufacturer

Bar Refrigeration

in India Since 1999


Features




Secure & Safe



Digital Touch Control



Eco Friendly Refrigeration



Soft LED Light



Adjustable Shelves



Digital Display

Back Bar Coolers

krome
dispense



Stainless Steel Back Bar Cooler

C2672.SS - Double Door

C2673.SS - Triple Door

**MOST
POPULAR**



Back Bar Cooler

C2672 - Double Door

C2673 - Triple Door

Part No.	No. of Doors	Door Type	Dimensions (WxHxD) mm	Net Capacity	Temperature Range	Refrigerant	Cooling System
C2671	1	Standard	600x850x520	122 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2671.SS	1	Standard	600x850x520	122 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2672	2	Standard	900x850x520	190 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2672.SS	2	Standard	900x850x520	190 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2672.SD	2	Sliding	900x850x520	190 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2673	3	Standard	1350x850x520	293 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2673.SS	3	Standard	1350x850x520	293 Liter	0°C ~ 8°C	R600a	Ventilated Fan
C2673.SD	3	Sliding	1350x850x520	293 Liter	0°C ~ 8°C	R600a	Ventilated Fan

.SS - Stainless Steel

Side Ventilation Back Bar Coolers



C2683




C2682



Part No.	No. of Doors	Door Type	Dimensions (WxHxD) mm	Net Capacity	Temperature Range	Refrigerant	Cooling System
C2682	2	Standard	1360x850x700	282 Liter	0°C ~ 8°C	R600a	Side Ventilation
C2683	3	Standard	1795x850x700	417 Liter	0°C ~ 8°C	R600a	Side Ventilation



Bar **Undercounter** Coolers



Glass Door Undercounter Coolers



C2690 - Double Door



C2691 - Triple Door

Solid Door Undercounter Coolers



C2687 - Single Door



C2688 - Double Door



C2689 - Triple Door




Stainless Steel
Countertop



Structural Durability



Insulated Cabinet



Lockable Doors




Narrow Design



Stay-Open Feature


Others shut the
door on you.



Part No.	No. of Doors	Door Type	Dimensions (WxHxD) mm	Net Capacity	Temperature Range	Refrigerant	Cooling System
C2687	1	Solid	596x990x762	220 Liter	0°C ~ 8°C	R134a	Side Ventilation
C2690	2	Glass	1240x905x620	368 Liter	0°C ~ 8°C	R134a	Side Ventilation
C2688	2	Solid	1240x905x620	368 Liter	0°C ~ 8°C	R134a	Side Ventilation
C2691	3	Glass	1848x905x620	610 Liter	0°C ~ 8°C	R134a	Side Ventilation
C2689	3	Solid	1848x905x620	610 Liter	0°C ~ 8°C	R134a	Side Ventilation



UNDER COUNTER GLASS WASHER



Part No.	Dimensions (WxHxD) mm	Basket Size (mm)	Water Softner	Tank Capacity
C2052	440x630x497	350x350	No	10 Liters
C2052.WS	440x630x497	350x350	Yes	10 Liters
C2053	455x690x550	400x400	No	12 Liters
C2053.WS	455x690x550	400x400	Yes	12 Liters

FEATURES

Electro-mechanical Control
Magnetic Door Micro Switch
Hot Rinse & Automatic Water Filling

Built-in rinse and Dispense-Adjustable
Thermostat Function
Anti-Back Flow Valve



AISI 304	H max 250 mm	UP DOWN	10 Liters Tank
-----------------	-----------------	------------	----------------------



HIGHLIGHTS

- ✓ Electromechanical controls
- ✓ Single skinned body
- ✓ Electric rinse aid dispenser
- ✓ Preformed wash tank
- ✓ Stainless steel wash and rinse arms



TECHNICAL FEATURES

Dimensions	440x497x640 mm
Basket sizes	350x350 mm
Baskets/hour	30
Voltage	230 V 50 Hz
Total power	2.890 W
Water quantity per cycle	2 Lt. w/ 2 Bar



AISI 304	Ø max 315 mm	H max 290 mm	UP DOWN	12 Liters Tank
-----------------	-----------------	-----------------	------------	----------------------



HIGHLIGHTS

- ✓ Electromechanical controls
- ✓ Partial double skinned body
- ✓ Preformed rack guides
- ✓ Electric rinse aid dispenser
- ✓ Preformed wash tank
- ✓ Stainless steel wash and rinse arms



TECHNICAL FEATURES

Dimensions	455x550x700 mm
Basket sizes	400x400 mm
Baskets/hour	30
Voltage	230 V 50 Hz
Total power	3.030 W
Water quantity per cycle	2 Lt. w/ 2 Bar

Models Available With & Without Water Softener



C4065



C4066



MANUAL BRUSH GLASS WASHER

Part #	Product Name
C4065	Manual Brush Glass Washer - Big
C4066	Manual Brush Glass Washer - Small



C40001



C40002



C40004



C40001-OV

GLASS WASHER

Part #	Product Name
C40001	Glass Washer Inside Sink Model
C40002	Bench and Table Top Model


GLASS WASHER

Part #	Product Name
C40004	Tough Glass Washer-Flush Mount & Portable
C40001-OV	Portable Glass Washer For Bar Kitchen Sink



**Suitable for all
types of glasses**

SIMPLE STEPS TO USE THE GLASS WASHER :



Glass *Polisher*

For Spot-Free Glassware



No Breakage



Save Time & Money



C6903

Electric Glass Polisher - 3 Brushes

Capacity:- **290** Glasses
Per Hour

Voltage :- 1100-1300 W

Air Flow :- 125 CFM



C6905

Electric Glass Polisher - 5 Brushes

Capacity:- **350** Glasses
Per Hour

Voltage :- 1150-1350 W

Air Flow :- 170 CFM



170 CFM Heated Blow Tube



Soft Microfiber Twine Material

Polishing heads simultaneously polish glassware inside and out.

Removable, washable polishing heads.

4 to 5 times faster than hand polishing.

Customers enjoy crystal clear glassware.

Huge labour savings and reduced glass breakage.

C6903.50

Replacement
Polishing
Head

GLASS FROSTER Counter Top

C7007



C7007

Glass Froster Counter Top


Cylinder	Glasses
3 Kg	20-30
10 Kg	70-80
25 Kg	270-300

C7014

Instant Glass Froster Chiller



- Siphon/Dip Tube:
- Pulls CO₂ out.



- CO₂ waste 5-10%
- Gas remains unused

Liquid Co2
700-800 PSI



Shoot(5-8 sec),
Chill, Serve.



CO₂ sterilizes instantly

C2398

Glass Froster with one Lid/ Plate Chiller (-16° to -20°C)

- Designed to frost beer glasses and chill salad plates.
- Black coated steel exterior.
- Includes 4 epoxy-coated steel shelves.
- 670(W) x 677(D) x 869(H)mm.



Net Capacity : 240L.

220V, 1/3 hp; R290 refrigerant; 1.33 Amps.



Polyurethane Insulation



Includes 4 Shelves



Sliding Stainless Steel Door



240 Liter Interior Space

RINSER DRIP TRAY

**100%
Stainless
Steel**
304 Grade



NEW



Rinsing with water prior to dispensing

Disperses particles and debris from stored glasses.

Easier to dispense into wetted glass.

Ideal for cleaning frost from glasses removed from chillers.

Rinser may chill glass providing water source is cold.

Available in various lengths.



Wet glass pours better beer

BAR DRINK RAIL - UNDER MOUNT


**Ready
Stock**



**100%
Stainless
Steel**

STAINLESS STEEL UNDERBAR MOUNT BEER DRIP TRAY

Part No.	Length
C4182	12"
C4183	18"
C4184	24"
C4185	30"
C4186	36"
C4187	42"
C4188	48"



Commercial Coffee Blender

X1



C4290

Krome Commercial Coffee Blender X1 - Black

Manual Control

Pro



C4300

Krome Commercial Coffee Blender Pro - White

Touch Pad Control

**BPA
FREE**

Powerful
Motor

Voltage
110V-240V

Capacity
1.5L

Speed
26000RPM

Power
2200w

With Ice
Crush Blade

Part #	Product Name
C4290	Krome Commercial Coffee Blender X1 - Black
C4300	Krome Commercial Coffee Blender Pro - White

EXTRA JARS

Part #	Product Name
C4301	1.5L Blender Jar for Krome Pro Blender and X1 Blender
C4302	2L Blender Jar for Krome Pro Blender and X1 Blender






SIMPLE PUSH ACTIVATION MAKES CLEANING BLENDER JARS QUICK AND EASY



Part #	Product Name
C4340	In Sink Jug Rinser - BLACK




Part #	Product Name
C035	In Sink Jug Rinser - BLACK





Blender Jar Rinser





Water Spin Spray Technology

krume
dispense

www.kromedispense.com

Ideal for Bars, Cafes & Restaurants

Increase Productivity . Clean in seconds
Works with Water Pressure
No Electricity or Sink required



Blender Jar →



Water Spin Spray Technology



C4318
C4324







C4319
C4325


Part #	Product Name
C4318	18" x 8" Blender Rinser Tray with Blender Actuator & Spin Spray - Brushed Stainless
C4319	18" X 8" Blender Rinser Tray with Blender Actuator - Brushed Stainless
C4324	24" X 8" Blender Rinser Tray with Blender Actuator & Spin Spray – Brushed Stainless
C4325	24" X 8" Blender Rinser Tray with Blender Actuator – Brushed Stainless
C035	Jar Rinser With Star Top (Star Head Rinser)



Glass Washer Mat 6"x6"



- Prevent Breakage.
- Interlocking Design.
- 1/2" Raised, Non-slip Surface.
- Dries Glasses Faster.
- Dishwasher Safe.
- Constructed from food safe material.



Maximum Air Flow

Part No.	Size	Quantity
C7100x4	6"x6"	4
C7100x12	6"x6"	12
C7100x24	6"x6"	24

ICE CUBE MACHINE



Environmentally
Friendly R290
Refrigerant



Compact Sizes In
Standard 23" & 26"
Width



Easy To Use
Control Panel



Bright LED
Lighting
Within Ice Bins



304 Stainless
Steel Exterior
Construction



Adjustable Legs
For Changing To
Desired Height



Full Cube



Gourmet



Part No.	Cube Size	Capacity	Dimensions (LxWxH) mm	Output	Bin Capacity	Refrigerant	Condenser Unit	Bottle Water	Shape
C7837	22 x 22 x 22	37 kg	500x450x800	37kg	15 kg	R290	Air/Water	No	
C7855	28 x 28 x 22	55 kg	500x590x850	55kg	18 kg	R290	Air	Yes	
C7875	28 x 28 x 22	75 kg	660x685x920	75kg	36 kg	R290	Air/Water	No	
C7895	28 x 28 x 22	95 kg	660x685x920	95kg	36 kg	R290	Air/Water	No	



C7836
Table Top
Bullet Ice Maker

2 in 1 Machine



Made Ice Bullets



Dispense Cold Water



22 kg
Daily Capacity

8 mins
Fast Ice-Making

12 pcs
Ice Per Cycle

160 w
Power

Three Different Size of Ice Bullets





OUTDOOR BEER COOLER



MOBI DISPENSER WITH DOUBLE TAP SNAKE TOWER

Part # C2003

- Easy Setup - "Just Plug n Play".
- Accommodates up to 50 litres beer kegs.
- Smooth heavy duty Castors.
- Brushed Stainless Steel Finish Door.
- Food Grade NSF approved Clear beer tubing.
- Size: 47" x 24 1/4" x 24" (H x D x W). Height includes tower w/o handle.
- 3 litres CO2 Cylinder included – This cylinder will store enough Carbon dioxide to serve 4 - 5 kegs.
- Front Mount electronic temperature control with LED display.
- Chrome plated Top Guard Rail.
- Beer Overflow Drip Pan.
- Auto Defrost.
- Digital thermostat.

MOBI DISPENSER WITH TWO SINGLE TAP TAPER CUT TOWER

Part # C2004

- Easy Setup - "Just Plug n Play".
- Accommodates up to 50 litres beer kegs.
- Smooth heavy duty Castors.
- Brushed Stainless Steel Finish Door.
- Food Grade NSF approved Clear beer tubing.
- Size: 47" x 24 1/4" x 24" (H x D x W). Height includes tower w/o handle.
- 3 litres CO2 Cylinder included – This cylinder will store enough Carbon dioxide to serve 4 - 5 kegs.
- Front Mount electronic temperature control with LED display.
- Chrome plated Top Guard Rail.
- Beer Overflow Drip Pan.
- Auto Defrost.
- Digital thermostat.



KROME ICE KEGERATOR

Part # C2023

- Easy Setup - "Just Pour Ice on Top".
- Accommodates up to 50 liters beer keg (2 X 20 L also accomodable).
- Smooth heavy duty Castors.
- Food Grade NSF approved Clear beer tubing.
- Height : 40"
- Width : 27"

Heavy Duty Rolling **Keg Dolly**



KEG DOLLY GREEN

Part #	Product Name
C2190	Standard Beer Keg Dolly 16"
C2190-12	Standard Beer Keg Dolly 12"

The Fastest Dispenser Ever

Bottom Up Dispenser
Unit - Single



C7015

C7016



Bottom Up Dispenser
Unit - Double



Pours From Bottom
Less Foam, Save Money



C7017



C7018



C7019

Part No.	Material	Capacity	Reusable
C7017	Disposable	473ml	No
C7018	Glass	473ml	Yes
C7019	Plastic	473ml	Yes

Bar Supplies



Cocktail Shaker
C160 - 200ml
C197 - 250ml
C161 - 500ml



C551
Small Jigger 15ml or 30ml
C552
Large Jigger 30ml or 60ml



C6996
Hawthorne Cocktail
Strainer



C1027 SS Bar Spoon
with Muddler - 11"
C995 SS Bar Spoon - 11"



C6997
Wooden Muddler - 9"



C6992
SS Muddler - 8"



C2284
Glass Rimming Station



C7003 Wooden Flight
Paddle for 4 Beers



C6991x6
Free Flow Pourer
(Universal Size)



C590
Premium Hand
Bottle Opener - 5.74"



C570
Hand-Held
Bottle Opener - 7"



C571
Wall Mount
Bottle Opener



C783 SS Double Walled
Wine Chiller - Brushed
C784 SS Double Walled
Wine Chiller - Mirror Finish



C2288 Sugar Dragger
with Coarse Lid
C2289 Sugar Dragger
with Fine Mesh



C561
SS Ice Bucket with
Lid - 7.35"



C545
Hygiene Plug for
Beer Faucet - 2.40"



C2035
3" Base Screw
Cover Flange

SS Carbonation Cap with Regulator/Hose & Wrench - KIT

Stainless Steel Carbonation Lid for Bar Equipment



C844-KIT

Material: Stainless Steel
Finish: Brushed Stainless
Barb Size: 5/16"
Standard Packing: 100 units
(Cylinder is not included in KIT)

Pet Bottles & Ball Lock Kegs
Co2 for Carbonation



SS Carbonation Cap with Regulator/Hose/Wrench & Empty Gas Cylinder 3LTR - KIT+

Stainless Steel Carbonation Lid for Bar Equipment



C844-KIT+

- **Material:** Stainless Steel
- **Finish:** Brushed Stainless
- **Barb Size:** 5/16"
- **Standard Packing:** 100 units
- **Empty Gas Cylinder-3Ltr**
- **Co2 Wrench**

Pet Bottles & Ball Lock Kegs
Co2 for Carbonation




Give Joy of Liberty To Your Customer To Fill Their
Glasses on Their Table Itself.



Let Joy of Beer **KEEP FLOWING** Self Service Table Top Beer Tube

Need Consultation for your bar?



Scan QR to
send us an enquiry.

Call Now or 
98142 03010